



CAT GENERATORS

METAL MASTERS - MOD SHOP

23701 US HWY 76 NEWBERRY SC 29108 803-276-6403

2016- 2017 Price List

(dealers will be notified of price changes)

New: Kits - install on your stock or other sets. Much of the pricing is lower. LS/I & LSI Breakers, Cam Locks

TABLE OF CONTENTS (SEE TABS FOR PRICING)

IMPORTANT ! Call for any LC "Lean", Gas , or generator not manufactured at the Newberry CAT Plant

CAT & OTHER - Sections: Batteries, Control, Electronic, Fuel, Heaters and Other

Includes: AC/DC Lighting, GFCI Receptacles, Load Centers, Ground Fault Alarm, Racor Fuel Filters, Crankcase Ventilation, Enclosure Heaters, etc. (see tab for complete listing)

VOLTAGE CHANGES , BREAKERS AND ACCESSORIES

LOUVERS, TESTING, FUEL SYSTEMS, PLATFORMS

LOAD BANK AND DPF

TANKS (UL and ULC)

TRAILERS WITH FUEL TANKS

PDI - PIQ. "Predelivery Inspection - Partner in Quality". Provided at no cost with testing.

ANNOUNCEMENT LETTER - Modification Shop "Program" since Jun 2009.

PROCESS:

CAT DEALER - Sends the Modification Shop a purchase order with the generator ESO, ERTS, Model and requested date of completion
The dealer must select "Modification Shop" from the (3) order choices. (Cat Managed Distribution, Modification Shop or Storage)
or provide their CAT Account Coordinator the ESO# with the note "for the Modification Shop" after the set is ordered.

CAT ACCOUNT COORDINATOR - Places a note, normally in the shipping block "For Modification Shop" on the CAT generator order

NEWBERRY CAT - Tags the generator for the Mod Shop after receiving the order or AC notification

SCHILLI DISTRIBUTION - Picks up the generator from CAT Newberry at ERTS and moves the generator to the Mod Shop area in the Schilli Distribution Newberry facility

MOD SHOP - Notifies the dealer when the generator is received, the estimated completion date and when it's complete

SCHILLI DISTRIBUTION - When informed of completion will correspond with the dealer and make shipping arrangements
Schilli will charge standard storage rates while in the Modification Program.

Notes:

1. **Newberry Generators Only:** The Mod Shop is set up for generators shipped out of Newberry CAT only. Generators from other CAT facilities can be quoted however dealers will have shipping cost responsibility.

2. **Parts:** Parts are ordered to be available at ERTS. Stock generators may need to wait for parts.
Removed parts, breakers, CT's, tanks, silencers, etc. will be kept by the Mod Shop unless otherwise directed.

3. **Submittal Information:** The Mod Shop is responsible for data sheets and drawings for non-CAT items. Dealer provided items and CAT parts or items are not provided.
Drawings and information sheets may be PDF, autocad or a photo showing the added item, dimensions and/or termination points.

4. **Warranty:** Caterpillar factory warranty covers CAT parts. Non-CAT items will carry the manufacturer's standard warranty. The Mod Shop will work with dealers installation for issues.
In all cases the Mod Shop should be notified and will work with the dealer.

5. **Lead Times:** 1 - 6 weeks depending the work, parts availability, volume of orders, holidays, etc. Stock sets will normally have to wait 1-2 weeks for parts in addition to the time needed to complete the work. Breaker add's are normally 1-2 weeks, Louvers 3-4 weeks, Load banks 3-6 depending on the model and configuration. Dealers and the Mod Shop will discuss the lead times when quoting the job and/or time of order.

IMPORTANT ! Call for any LC "Lean", Gas , or generator not manufactured at the Newberry CAT Plant					
IF YOU DON'T SEE YOUR ITEM CALL TERRY DESPARD 864-415-8314					
Includes: Installation, Program EMCP when applicable					
	Delivered	Any Set			
	Condition				KITS
BATTERIES AND SUPPORTING ITEMS:					
Battery Charger SENS NRG22-10-RC 10A 12/24VDC,120-208-240V	Installed	\$904.00			
Battery Charger SENS NRG22-20-RCLS 20A 12/24VDC,120-208-240V	Installed	\$1,504.00			
Battery Disconnect Switch	Installed	\$846.00			
SENS Best Battery System Switch BBS 4800 (>1000kW)	Installed	\$5,637.00			\$5,400.00
SENS Best Battery System Switch BBS 1600 (< 1000kW)	Installed	\$4,277.00			\$3,800.00
<i>(Note: BBS does not include additional battery(s) or battery charger)</i>					
<i>(Note: See Heaters for Battery Heating Blankets)</i>					
CONTROL PANEL:					
GFA - Ground Fault Alarm Relay	Installed	\$1,543.00			
Emergency Stop / External	Installed	\$1,339.00			
ELECTRONIC:					
Interior AC Lights w/convenience receptacle, on/off switch (Qty 2)	Installed	\$530.00			
Interior DC Lights (Qty 2) with off/on timer	Installed	\$530.00			
100A Load Center (for all EMCP AC and dealer choice items)	Installed	\$572.00			
100A CSA Load Center (for all EMCP AC and dealer choice items)	Installed	\$750.00			
125A Load Center (for all EMCP AC and dealer choice items)	Installed	\$650.00			
125A CSA Load Center (for all EMCP AC and dealer choice items)	Installed	\$950.00			
150A Load Center (for all EMCP AC and dealer choice items)	Installed	\$750.00			
GFCI Receptacle Nema 3R with Cover (duplex)	Installed	\$331.00			
15kVA Transformer (for 480 to 120/240 1P)	Installed	\$1,512.00			
7kVA Transformer (for 480 to 120/240 1P)	Installed	\$1,350.00			
HEATERS:					
Battery Heater 120V (C4.4, C6.6, C7.1)	Installed	\$665.00			
Battery Heaters 120V (C9, C13, C15, C18, C27, C32)	Installed	\$850.00			
Battery Heaters 120V (Four (4D) batteries)	Installed	\$1,465.00			
Enclosure Heater 1-2kW C4.4, C6.6, C7.1	Installed	\$1,100.00			\$450.00
Enclosure Heater "BERKO HUHA524 3.7-5kW (C9 - C32)	Installed	\$1,400.00			\$1,300.00
Lube Oil Sump Heater Pad 120V (C4.4-C18)	Installed	\$565.00			
Lube Oil Sump Heater Pad 120V (C27-C32)	Installed	\$765.00			
FUEL:					
Crankcase Ventilation Filter (Racor/Parker) (D40kW - C15)	Installed	\$1,087.00			\$990.00
Crankcase Ventilation Filter (Racor/Parker) (C18 & C27)	Installed	\$1,432.00			\$1,200.00
Crankcase Ventilation Filter (Racor/Parker) (C32)	Installed	\$2,322.00			\$2,100.00
Racor Fuel Filter / Water Sep 500FGV-10 (Single) <200kW	Installed	\$1,200.00			\$1,100.00
Racor Fuel Filter / Water Sep 900FHV-10 (Single) C9,C15	Installed	\$1,400.00			\$1,300.00
Racor Fuel Filter / Water Sep 1000FHV-10 (Single) C18-C32	Installed	\$1,600.00			\$1,500.00
Racor Fuel Filter / Water Sep RA75/1000FHV-10 (Double) C18-C32	Installed	\$2,800.00			\$2,500.00
Racor Fuel Filter / Water Sep RA79/1000FHV-10 (Triple) C18-C32	Installed	\$3,200.00			\$2,900.00
Other:					
Coolant Overflow Container	Installed	\$210.00			
					Kits not available for those items where the item is all that is required ..
					Included: mounting brackets, hardware Hoses, fittings. Wire/conduit not included

IMPORTANT ! Call for any LC "Lean". Gas . or generator not manufactured at the Newberry CAT Plant							
IF YOU DON'T SEE YOUR ITEM CALL TERRY DESPARD 864-415-8314							
(Modification Program for CAT Newberry SC Product Only)							
VOLTAGE CHANGE:							
<i>Includes: EMCP programming, CT's and rating decal (Breakers, shunt trips, Aux Contacts, Lugs are priced separately below)</i>							
<i>Note: Dealers must have "CAT ASC" sign off on voltage changes and/or provide the TMI/SIS data to support the conversion.</i>							
See above for what is included	40kw-60kw	80kw-100kw	125kw-175kw	200kw-250kw	300kw-500kw	550kw-650kw	
Voltage Changes:							
Voltage Change 120/208 to 480/277	\$800.00	\$800.00	\$800.00	\$1,200.00	\$1,400.00	\$1,800.00	
	40kw-60kw	80kw-100kw	125kw-175kw	200kw-250kw	300kw-500kw	550kw-650kw	
Voltage Change 480/277 to 120/208	\$1,200.00	\$1,400.00	\$1,600.00	\$2,400.00	\$2,800.00	\$3,200.00	
BREAKERS, Breaker Box, Shunt Trips, Aux Contacts							KIT - Price Includes:
<i>Note: A Breaker box is not always needed. Check space available or call the MOD SHOP.</i>							<i>Breaker,box,Neutral,Gnd, lugs 2sets,wire (shunt trip, aux contacts are additional)</i>
ABB TMAX T1-T3 (Lugs included)							
Breaker Add ABB T1 20A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 25A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 30A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 40A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 50A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 60A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 80A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T1 100A (100% rated) (Thermal Mag)	Installed	\$780.00					\$800.00
Breaker Add ABB T3 125A (100% rated) (Thermal Mag)	Installed	\$1,250.00					\$1,250.00
Breaker Add ABB T3 150A (100% rated) (Thermal Mag)	Installed	\$1,250.00					\$1,250.00
Breaker Add ABB T3 200A (100% rated) (Thermal Mag)	Installed	\$1,250.00					\$1,250.00
Breaker Add ABB T3 225A (100% rated) (Thermal Mag)	Installed	\$1,250.00					\$1,250.00
Shunt trip 20A-225A (T1-T3) 12VDC (KT3S9), 24VDC (KT3S8)	Installed	\$250.00					\$160.00
Aux Contacts 20A-225A KT3AS 1 FORM C + 1BA	Installed	\$250.00					\$160.00
NOTE: LUGS T1 (KT2100/3 - 14AWG-1/0) , T3 (KT3250/3 - 4AWG-300kcmil)							
Breaker box ("Life Safety" or space not available in factory provided box)		\$600.00					
ABB TMAX T4-T5 (Lugs & Covers included) (For LSI Trip add \$300)							
Breaker Add ABB T4 250A (100% rated) (LS/I Electronic trip)	Installed	\$1,400.00					\$1,450.00
Breaker Add ABB T5 400A (100% rated) (LS/I Electronic trip)	Installed	\$1,800.00					\$1,900.00
Shunt trip 250A-400A (T4-T5) 12VDC (KT5S9), 24VDC (KT5S8)	Installed	\$250.00					\$160.00
Aux Contacts 250A-400A KT5AS 1 FORM C + 1BA 250VAC/VDC	Installed	\$250.00					\$160.00
NOTE: LUGS (T4 KT4250-3 is 6AWG - 350kcmil)							
Breaker box ("Life Safety" or space not available in factory provided box)		\$650.00					
ABB TMAX T6(Lugs & Covers included) (For LSI Trip add \$300)							
Breaker Add ABB T6 600A (100% rated) (LS/I Electronic trip)	Installed	\$3,200.00					\$2,100.00
Breaker Add ABB T6 800A (100% rated) (LS/I Electronic trip)	Installed	\$3,600.00					\$2,800.00
Shunt trip 600A-800A (T4-T6) 12VDC (KT5S9), 24VDC (KT5S8)	Installed	\$250.00					\$180.00
Aux Contacts 600A-800A KT5AS 1 FORM C + 1BA 250VAC/VDC	Installed	\$250.00					\$180.00
NOTE: LUGS (T5 KT5300-3 250kcmil-500kcmil), (T6 K6TH (2)250kcmil - 500kcmil)							
Breaker box ("Life Safety" or space not available in factory provided box)		\$700.00					
ABB TMAX T7 (Lugs & Covers included) (For LSI Trip add \$500)							
Breaker Add ABB T7 1000A (100% rated) (LS/I Electronic trip)	Installed	\$4,800.00					\$3,500.00
Breaker Add ABB T7 1200A (100% rated) (LS/I Electronic trip)	Installed	\$6,100.00					\$4,000.00
Shunt trip 1000A-1200A (T7) 24VDC (KT7SX0)	Installed	\$400.00					\$250.00
Aux Contacts 1000A-1200A KT7AS-AU 1 FORM C + 1BA 24VDC	Installed	\$250.00					\$180.00
Breaker box ("Life Safety" or space not available in factory provided box)		\$1,200.00					
ABB TMAX T8 (Lugs or Bus Bar & Covers included)							
Breaker Add ABB T8 1600A (100% rated) (LSI Electronic trip)	Installed	\$10,400.00					call for quote
Breaker box ("Life Safety" or space not available in factory provided box)		\$1,600.00					
Note: This list with few exceptions is the standard CAT selection. Other trips, accessories or manufacturer is available upon request							

IMPORTANT ! Call for any LC "Lean", Gas, or generator not manufactured at the Newberry CAT Plant						
IF YOU DON'T SEE YOUR ITEM CALL or email TERRY DESPARD 864-415-8314 tldespard@gmail.com						
(*) Kit Available , (**) Available for Lean Design						
*Louvers - Motorized Intake - Gravity Discharge						
Enclosure - "Old/New" (New design C9-C18 - side air ducts inside doors)	Old/Current	New Design Encl				KIT
40kw - 100kW	\$2,600.00	\$2,600.00				\$2,200.00
125kW - 200kW						
C9	\$2800.00	\$2,800.00				\$2,400.00
C13-C18	\$4200.00	\$3,600.00				\$3,400.00
AC available any model						
24VDC available only (includes : C9-C18)						
Note: A Single Phase 100A Load Center is provided at no cost with AC louvers only when other AC items are ordered: Lights, receptacles, heaters, etc.						
*CAM LOCK Connections (for any model)						
	Any Model					Kit
400A	\$1,200.00					\$1,000.00
800A	\$2,400.00					\$1,500.00
1200A	\$3,600.00					\$2,000.00
1600A	\$4,800.00					\$3,000.00
Installation or Kit includes: Flush Mount plate or box - dealer choice, Female Cam Locks, protective covers, wired or wire for kit.						
**TESTING: (Resistive Load bank and Diesel only)						
	1-2hr (0-100%)	2-4hr (0-100%)	6-8hr (0-100%)	9-12hr (0-100%)		
40kw - 100kW	\$1400.00	\$1600.00	\$2,000.00	\$3,000.00		
125kW - 200kW	\$1500.00	\$1700.00	\$2,100.00	\$3,100.00		
C9	\$1800.00	\$2000.00	\$2,400.00	\$3,500.00		
C13-C18	\$1900.00	\$2200.00	\$2,800.00	\$3,600.00		
Load-None Run Test 30min (PDI) Predelivery Inspection	\$600.00	\$600.00	\$800.00	\$800.00		
Note: 1. More than 12hours or larger than 600kW request a quote 2. Dealer provides steps or requirements for run time duration						
*Fuel Spill Prevention / Extended Vent Piping/ Fuel Cleaning Systems						
Size - kW or Model Generator:		40-200kW	C9-C18	C27-C32		KIT 12/24VDC/120VAC
5 gallon Fill Spill bucket located inside or outside the enclosure		\$900.00	\$900.00	\$900.00		\$900.00
Local Annunciator - 2 light (with High and Critical High alarms, operates solenoid valve if ordered)		\$1,000.00	\$1,000.00	\$1,000.00		\$1,000.00
Local Annunciator - 4 light (with Crit Low,Low,High,Crit High alarms, operates solenoid valve if ordered)		\$1,200.00	\$1,200.00	\$1,200.00		\$1,200.00
Floats for Annunciator and/or Overfill valve operation (2 or 4 float assembly)		\$300.00	\$300.00	\$300.00		\$300.00
(Note: Factory tanks must have (1) spare port for floats. Tanks H14" or less must have (2) spare ports)						
Electronic Fuel Overfill Solenoid set @ 95% to operate with Crit High Alarm		\$1,600.00	\$1,600.00	\$1,600.00		\$1,600.00
						Outside Only
Extend Normal Vent located outside the Enclosure 12ft above grade		\$600.00	\$900.00	\$1,000.00		\$1,000.00
Extend Normal Vent located inside the Enclosure 12ft above grade		\$1,000.00	\$1,200.00	\$1,200.00		
Extend Emergency Vent located outside the Enclosure 12ft above grade		\$800.00	\$1,000.00	\$1,200.00		\$1,200.00
Extend Emergency Vent located inside the Enclosure 12ft above grade		\$1,400.00	\$1,800.00	\$2,000.00		
(Note: Extended vents inside the enclosure may require 45-90deg bends. Options for pipe routing will be discussed with the dealer prior to installation)						
*Day Tank Conversions for Base Tanks						
(Any Generator - Skid , Weatherproof or Sound Attenuated)						
Size - kW or Model Generator:	C4.4-C7.1	C9	C13-C18	C27-C32		Kit
Mounting inside Enclosure (Not available for compact or C13-C18 new design doors)				\$800.00		
Mounting on Baseframe or Tank	\$800.00	\$800.00	\$800.00	\$800.00		\$600.00
PRYCO - Pump and Indication System (pumps sized for generator)	\$3,200.00	\$3,200.00	\$3,200.00	\$3,200.00		\$3,000.00
Base tank floats - operate pumps, indication at pump controller/EMCP	\$360.00	\$360.00	\$360.00	\$360.00		\$300.00
Hoses, wiring, labor, testing (kit has hoses/fittings only)	\$500.00	\$500.00	\$500.00	\$500.00		\$200.00
(Note: Tanks must have						
Total Kit Price	\$4,860.00	\$4,860.00	\$4,860.00	\$5,660.00		\$4,100.00
Note: Check tank needing conversion for spare NPT fitting						
**Platforms - Generator Service "OSHA Approved"						
(Packaged to ship loose with Generator on the same truck)	U-Built-it	40kw-100kW	125kw-200kW	C9	C13-C18	C27-C32
(1) 4x4 Modular Section with hand rails	\$1100.00					
(1) Set of Stairs (standard stairs sized for your platform height)	\$1200.00					
Single Side Access		\$2,400.00	\$3,000.00	\$3400.00	\$4200.00	\$5200.00
Dual Side Access		\$4,800.00	\$5,800.00	\$6400.00	\$7600.00	\$9200.00
U Shaped Platform		\$6,000.00	\$6,600.00	\$7400.00	\$9200.00	\$10800.00
Notes: Assembly required.						
Prices include Shipping to Newberry to ship with the generator or any location within 500miles of Newberry SC.						
PAINT Generator Enclosures						
tldespard@gmail.com						
864-415-8314tel						

RADIATOR MOUNTED LOAD BANK AND ROOF MOUNTED DPF																	
Note: Don't see the generator rating you need. Find the Load bank size and voltage you need for the price.																	
Avtron Radiator Mounted Load Bank - Model K711					Option:	Generator	Generator	Sound Attn	Generator	SA Sets	Option:	Miratech Passive DPF Roof Mount - Model LTR					
Model Generator	Genset kW	Voltage	Phase	Load Bank Size	Available on all Sets	Load Leveling	Open	Outdoor rating	Weatherproof	Foam	Sound Attn	Silencer	Air Duct	WX/Sound	Black Steel	NOTE:	
								Included with WX and SA not included with Open sets	Load Bank Price Installed	Load Bank Price Installed Outdoor Rated	For Compact WX sets	Load Bank Price Installed Outdoor Rated	Carbon Steel	FOR VERTICAL AIR FLOW Available on all Sets	DPF Size	DPF Price Installed	Dealers providing the Silencer or DPF must also provide all supporting items available for purchase from their supplier. This includes inlet and outlet flanged elbows, rain cap, nuts/bolts/gaskets, through roof thimble if applicable
VOLTAGE 208																	
C4.4 (sm)	40	208	3	40	\$1,200.00			\$765.00	\$6,500.00	\$1,200.00	\$7,500.00	\$1,500.00	\$800.00	LTR 2	\$7,100.00		
C4.4 (sm)	50	208	3	50	\$1,200.00			\$765.00	\$6,500.00	\$1,200.00	\$7,500.00	\$1,500.00	\$800.00	LTR 2	\$7,100.00		
C4.4 (sm)	60	208	3	60	\$1,200.00			\$765.00	\$6,500.00	\$1,200.00	\$7,500.00	\$1,500.00	\$800.00	LTR 2	\$7,100.00		
C4.4 (lg)	80	208	3	80	\$1,200.00			\$765.00	\$6,500.00	\$1,200.00	\$7,500.00	\$1,500.00	\$800.00	LTR 4	\$12,500.00		
C4.4 (lg)	100	208	3	100	\$1,200.00			\$765.00	\$6,500.00	\$1,200.00	\$7,500.00	\$1,500.00	\$800.00	LTR 4	\$12,500.00		
C6.6	125	208	3	65	\$1,200.00			\$825.00	\$7,000.00	\$1,400.00	\$8,000.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C6.6	150	208	3	75	\$1,200.00			\$825.00	\$7,100.00	\$1,400.00	\$8,100.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C6.6	175	208	3	90	\$1,200.00			\$825.00	\$7,400.00	\$1,400.00	\$8,400.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C7.1	200	208	3	100	\$1,200.00			\$825.00	\$7,500.00	\$1,400.00	\$8,500.00	\$1,800.00	\$800.00	LTR 6	\$17,500.00		
C9	250	208	3	125	\$1,200.00			\$825.00	\$6,800.00		\$7,800.00	\$2,400.00	\$1,500.00	LTR 9-6	\$17,500.00		
C9	300	208	3	150	\$1,200.00			\$825.00	\$7,100.00		\$8,100.00	\$2,400.00	\$1,500.00	LTR 9-6	\$17,500.00		
C13	320	208	3	175	\$1,200.00			\$825.00	\$7,400.00		\$8,400.00	\$2,400.00	\$1,500.00	LTR 15-8	\$25,700.00		
C13	400	208	3	200	\$1,200.00			\$825.00	\$7,700.00		\$8,700.00	\$2,400.00	\$1,500.00	LTR 15-8	\$25,700.00		
C15	350	208	3	175	\$1,200.00			\$825.00	\$7,400.00		\$8,400.00	\$2,400.00	\$1,500.00	LTR 15-8	\$25,700.00		
C15	400	208	3	200	\$1,200.00			\$825.00	\$7,700.00		\$8,700.00	\$2,400.00	\$1,500.00	LTR 15-8	\$25,700.00		
C15	500	208	3	250	\$1,200.00			\$825.00	\$7,900.00		\$8,900.00	\$2,400.00	\$1,500.00	LTR 15-8	\$25,700.00		
VOLTAGE 480																	
C6.6	125	480	3	65	\$1,200.00			\$825.00	\$6,900.00	\$1,400.00	\$8,900.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C6.6	150	480	3	75	\$1,200.00			\$825.00	\$7,000.00	\$1,400.00	\$9,000.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C6.6	175	480	3	90	\$1,200.00			\$825.00	\$7,300.00	\$1,400.00	\$9,300.00	\$1,800.00	\$800.00	LTR 4	\$12,500.00		
C7.1	200	480	3	100	\$1,200.00			\$825.00	\$7,200.00	\$1,400.00	\$9,200.00	\$1,800.00	\$800.00	LTR 9-6	\$17,500.00		
C9	250	480	3	125	\$1,200.00			\$825.00	\$6,300.00		\$7,300.00	\$2,400.00	\$1,200.00	LTR 9-6	\$17,500.00		
C9	300	480	3	150	\$1,200.00			\$825.00	\$6,600.00		\$7,600.00	\$2,400.00	\$1,200.00	LTR 9-6	\$17,500.00		
C9	350	480	3	175	\$1,200.00			\$825.00	\$6,900.00		\$7,900.00	\$2,400.00	\$1,200.00	LTR 9-6	\$17,500.00		
C13	320	480	3	175	\$1,200.00			\$825.00	\$7,200.00		\$8,200.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C13	400	480	3	200	\$1,200.00			\$825.00	\$7,300.00		\$8,300.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C15	350	480	3	175	\$1,200.00			\$825.00	\$7,200.00		\$8,200.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C15	400	480	3	200	\$1,200.00			\$825.00	\$7,300.00		\$8,300.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C15	450	480	3	225	\$1,200.00			\$825.00	\$7,500.00		\$8,500.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C15	500	480	3	250	\$1,200.00			\$825.00	\$7,700.00		\$8,700.00	\$2,400.00	\$1,200.00	LTR 15-8	\$25,700.00		
C18	550	480	3	275	\$1,200.00			\$950.00	\$7,900.00		\$8,900.00	\$3,200.00	\$1,200.00	LTR 15-8	\$25,700.00		
C18	600	480	3	300	\$1,200.00			\$950.00	\$8,500.00		\$9,500.00	\$3,200.00	\$1,200.00	LTR 15-8	\$25,700.00		
C27 and C32 Open Sets Only																	
C27	650	480	3	325	\$1,200.00			\$950.00					\$1,200.00	LTR 20-10	\$37,000.00		
C27	700	480	3	350	\$1,200.00			\$950.00					\$1,200.00	LTR 20-10	\$37,000.00		
C27	750	480	3	375	\$1,200.00			\$950.00					\$1,200.00	LTR 20-10	\$37,000.00		
C27	800	480	3	400	\$1,200.00			\$950.00					\$1,200.00	LTR 20-10	\$37,000.00		
C32	1000	480	3	500	\$1,200.00			\$950.00					\$1,200.00	LTR 30-12	\$49,000.00		
1. LOAD BANK's Include: Controller - local or remote, Control Power Transformer and Auto Dump Circuit. Not Included - Load bank breaker (see "Breakers" for price to add if not installed by factory).																	
2. DPF's and Silencers Include: All piping, flanges, rain caps, hardware required for installation. Installation of monitoring controls, removal and disposal of existing silencer, removal of DPF for shipping when over height or when directed by the dealer Note: Dealers providing the DPF or Silencer is responsible to provide these same items (Inlet and Outlet 90deg Flanged elbows, rain cap, nuts/bolts/gaskets)																	

IMPORTANT! Call for any LC "Lean", Gas, or generator not manufactured at the Newberry CAT Plant

Cat w/ Sound Enclosure Tanks - UL142 or ULC-S601

Don't see the generator model/size your looking for, find the gallons needed and closet dimensions.

Provide the gallons and dimensions needed. We will have a tank made for your job.

Generator	Approx. Run Time	Usable Gallons	Length****	Width*	Height	Stub Up	Approximate Tank Dry Weight	Tank Price * ** *** **** (see****below)
D40/D60	18	100	119	39	10	16	1170	\$ 5,400.00
D40/D60	24	130	119	39	12	16	1250	\$ 6,080.00
D40/D60	36	195	119	39	18	16	1490	\$ 6,160.00
D40/D60	48	255	119	39	22	16	1670	\$ 6,590.00
D40/D60	72	390	119	39	33	16	2140	\$ 7,050.00
D40/D60	96	515	143	39	34	16	2640	\$ 7,930.00
 								
D80/D100	18	145	140	39	11	20	1420	\$ 6,280.00
D80/D100	24	190	140	39	14	20	1560	\$ 6,380.00
D80/D100	36	285	140	39	21	20	1880	\$ 6,790.00
D80/D100	48	375	140	39	27	20	2160	\$ 7,090.00
D80/D100	72	570	162	39	34	20	2850	\$ 8,130.00
D80/D100	96	760	192	39	39	20	3480	\$ 9,430.00
 								
D125/D175	18	260	168	39	16	24	1950	\$ 6,890.00
D125/D175	24	345	168	39	20	24	2180	\$ 7,290.00
D125/D175	36	560	168	39	32	24	2830	\$ 8,430.00
D125/D175	48	750	192	39	36	24	3490	\$ 9,430.00
D125/D175	72	1115	192	60*	32	24	4500	\$ 10,800.00
D125/D175	96	1480	192	71*	35	24	5710	\$ 11,290.00
 								
C9 200-300kW	18	410	194	71	12	45	3160	\$ 9,000.00
C9 200-300kW	24	550	194	71	16	45	3480	\$ 9,200.00
C9 200-300kW	36	820	194	71	24	45	4110	\$ 9,600.00
C9 200-300kW	48	1090	194	71	32	45	4790	\$ 10,000.00
C9 200-300kW	72	1640	228	71	36	45	6080	\$ 10,900.00
C9 200-300kW	96	2180	239	90*	36	45	8200	\$ 12,100.00
 								
C13 320-400	18	660	210	71	18	45	3940	\$ 9,860.00
C13 320-400	24	880	210	71	22	45	4370	\$ 10,600.00
C13 320-400	36	1320	216	71	32	45	5400	\$ 10,800.00
C13 320-400	48	1760	242	71	36	45	6560	\$ 11,500.00
C13 320-400	60	2200	265	90*	32	45	9960	\$ 12,600.00
C13 320-400	72	2640	265	90*	38	45	10850	\$ 13,500.00
 								
C15 350-500	18	660	210	71	18	45	3940	\$ 9,860.00
C15 350-500	24	880	210	71	22	45	4370	\$ 10,600.00
C15 350-500	36	1320	216	71	32	45	5400	\$ 10,800.00
C15 350-500	48	1760	242	71	36	45	6560	\$ 11,500.00
C15 350-500	60	2200	265	90*	32	45	9960	\$ 12,600.00
C15 350-500	72	2640	265	90*	38	45	10850	\$ 13,500.00
 								
C15 550	18	740	210	71	20	45	4120	\$ 10,160.00
C15 550	24	980	210	71	26	45	4670	\$ 10,200.00
C15 550	36	1470	234	71	32	45	5850	\$ 11,000.00
C15 550	48	1950	239	90*	32	45	9150	\$ 12,000.00
C15 550	60	2440	265	90*	36	45	10520	\$ 13,900.00
 								
C18 550-600	18	770	222	71	18	45	4250	\$ 10,360.00
C18 550-600	24	1030	228	71	24	45	4890	\$ 10,600.00
C18 550-600	36	1540	228	71	34	45	5960	\$ 11,100.00
C18 550-600	48	2050	239	90*	34	45	9400	\$ 12,000.00
C18 550-600	60	2570	265	90*	36	45	10610	\$ 14,300.00
 								
C27 650-800	18	1030	300	82	20	72	7540	\$ 14,100.00
C27 650-800	24	1380	300	82	24	72	8280	\$ 14,400.00
C27 650-800	36	2060	300	82	36	72	10380	\$ 15,100.00
C27 650-800	48	2750	336	82	40	72	12240	\$ 15,800.00

*Widths over the base skid footprint require 4" rails for mounting (adds 4" to given height). As these are sound attenuated units a sound guard is included in these cases to close off the area between the tank, rails and generator base skid.

**Includes the tank, (2) emergency vents, 2" normal vent, 2" lockable fill, Krueger fuel gauge, suction/return fittings, low level & leak detection switches, a 1/2" rupture basin drain plug and 2 extra 2" NPT fittings. Rails also included as noted depending on width. The "Total Price" also includes the Canadian Requirements.

***Canadian Requirements includes top-mounted leak detection switch, high level switch, vent/fill extensions to minimum 36" above pad as required and secondary normal vent in the outer tank.

****Tank emergency vents, normal vent, fill/spill container and gauge are located outside of the enclosure on the radiator end.

IMPORTANT ! Call for any LC "Lean", Gas , or generator not manufactured at the Newberry CAT Plant

Trailers w/ Double Wall Tanks																		
Generator	Generator Size*				Trailer/Tank Information								Pricing					
	Length	Width	Height	Weight	Tank Cap (Gallons)	Tank Weight	Trailer Model	# of Axles	Trailer GVWR	Trailer Weight	Safety	Total Weight	Base**	Hydraulic Surge Brakes***	2-5/16" Ball Coupler	(2) Rear Jacks	(4) Tie Down Rings	Spare Tire
D40/D60 WX and Sound	92	39	62	2880	80	1315	G6	Single	6,600				\$ 6,500.00	\$ 265.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D40/D60 WX and Sound	92	39	62	2880	130	1700	G7	Tandem	7,500				\$ 7,300.00	\$ 265.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D80/D100 WX and Sound	114	39	73	3430	100	1315	G7	Tandem	7,500				\$ 7,100.00	\$ 445.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D80/D100 WX and Sound	114	39	73	3430	200	1700	G10	Tandem	11,000				\$ 9,100.00	\$ 445.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D125/D200WX and Sound	143	39	73	4600	175	3250	G10	Tandem	11,000				\$ 8,800.00	\$ 505.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D125/D200WX and Sound	143	39	73	4600	300	3680	GW12	Tandem	13,200				\$ 9,700.00	\$ 505.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00

*Generator sizes based on available Cat spec sheets.

**Base trailer price includes 3" Lunette Eye, tongue jack, electric brakes, a smooth steel deck and the listed tank capacity. Options listed are in addition to the base price.

***Hydraulic surge brakes would be in place of the electric brakes.

(Price \$300.00, no cost if with load bank testing)

Date:

Dealer:

PO #:

ESO#:

CAT ERTS:

WO#:

EQUIPMENT TYPE:

Generator

Genset MFG:

Engine MFG:

Radiator MFG:

Control Panel MFG:

Arrangement #:

Rated Kilowatts:

Emission Tier:

Genset Model #:

Engine Model #:

Radiator Location:

Control Panel Model #:

Service Meter units:

Rated kV Amps:

Rated Power Factor:

Genset Serial #:

Engine Serial #:

Radiator Group #:

Control Panel Serial #:

Fuel Type:

Rated Phase:

Rated Volts AC:

QPS TEAM

Mod Program Manager

Name: Office Phone #: Cellphone #: Fax #: Email:

Lead Technician:

Test Technician:

Start Date:

ESO #:

Completed Date:

DBS Work Order #:

Ship Date:

No. of Packages:

Inspected By:

Tech Name:

Initial each item, comment as necessary:

Lubrication:

Check all connections

Check oil level

Check protection switch

Fuel:

Check all connections (leaks, etc.)

Check throttle and governor linkages

Air:

Check air filter pipework

Check vent piping and connections

Check air flap and solenoid (if fitted)

Water:

Check and adjust fan belts

Check anti-freeze concentration & pH level

Check remote fans and pumps (if applicable)

Check radiator core and tanks (leaks, etc.)

Check protection switch

DC:

Check and adjust alternator belts

Check acid level of batter(s) (top-up as necessary)

Check condition of lugs and terminals

AC:

Visually inspect windings

Check power connections

Check circuit breaker and connections

Check contactor panel connections and lamps

Heater: (if fitted)

Check hose connections

Check operation

Off Load Test:

Oil Pressure	<input type="text"/>	PSI	Water Temperature	<input type="text"/>	F
Battery Charging Volts	<input type="text"/>	VDC	AC Voltage	<input type="text"/>	VAC
Frequency	<input type="text"/>	Hz	Engine Speed	<input type="text"/>	RPM

Other:

Silencer:

Check system for fumes

Comments

This Program for all NA Dealers is now available with Metal Masters - Mod Shop "Terry Despard"

Modifications to Newberry Product

(this is the same program, process and good pricing you had with Blanchard Power Systems)

Attention: EPNA Dealer Sales Managers
EPNA Retail Sales Representatives
EPNA Retail Regional Managers

Ladies and Gentlemen:

Electric Power North America (EPNA) is pleased to announce that Dealers now have the ability to reconfigure or modify Newberry product through the Mod Shop. Attached is a list of flat rates for common modifications, as well as a quote sheet for requesting service. Most modifications can be accommodated at the Schilli distribution center in Newberry SC minimizing additional shipping costs. For modifications not listed on the flat rate sheet, please contact Terry Despard for a quote.

Through this program, EPNA Dealers can receive a timely and cost-effective means of modifying Newberry product to meet customer requirements, resulting in improved product availability, greater competitiveness, and increased usage of ZSTOCK. For more information regarding this new program, please contact Terry Despard, Metal Masters Mod Shop, 864-415-8314, tidespard@gmail.com or your EPNA Retail Sales Representative.

Sincerely,
Terry Despard
Sales Engineer
Metal Masters - Mod Shop