

#### **CAT GENERATORS**

23701 US HWY 76 NEWBERRY SC 29108 803-276-6403 METAL MASTERS - MOD SHOP

#### TABLE OF CONTENTS

CAT & OTHER - Batteries, Chargers, Backup Battery System, GFR, Emer Stop, I/O Module, Lights, Load Centers, Transformers, Heaters, Crankcase "CCV", Racor Fuel Filters, Coolant Overflow

BREAKERS AND ACCESSORIES - ABB & Schneider "Square D" , Voltage Changes

LOUVERS, CAM LOCKS, TESTING, FUEL SPILL PREVENTION - Spill Bucket, OPV Fill, Drop Tube, OPV Solenoid Local Fuel Fill Annunciator, Vent Extensions, FUEL CLEANING/POLISHING SYSTEM, DAY TANK Conversion for factory Base Tanks, SERVICE PLATFORMS "OSHA", PAINT - EncilTank

LOAD BANKS - Radiator, Roof, Standalone, (IBC, Seismic, DBA considerations) SILENCERS, DIESEL PARTICULATE FILTERS

TRAILERS WITH FUEL TANKS

PDI - PIQ. "Predelivery Inspection - Partner in Quality". Provided at no cost with testing.

STORAGE AND ASSOCIATED GENERATOR SERVICES

ANNOUNCEMENT LETTER - Modification Shop "Program" since Jun 2009.

PROCESS: New! Metal Masters "MOD SHOP Newberry" will assist with shipping, do your MOD work and provide Storage

CAT DEALER - ESO# , ERTS, req date of completion and Serial # or CAT shipping doc when available must be sent to the "MoD SHOP" with a released PO to be placed in the work schedule.

The scales should have "Modification Stop", Meel Matters in C273" U.S. Highway 78, Neveleny SC 26108 in the "Ship To" Stock of the CAT generator order

CAT ACCOUNT CORONIANOS: Please a note your order "For Modification Stop", Modification Stop Modification Stop

#### Notes:

Notes:

Lead Times, Completion dates are normally 2-6 weeks after the start date. Start dates are scheduled with a released purchase order, when the generator and pasts are received and with the dealer provided "Ship by Date". The "Ship by Date" is requested or of requiring date provided "Ship by Date". The "Ship by Date" is requested to require a received provided "Ship by Date". The "Ship by Date is required to require a received provided "Ship by Date" is required to receive a required provided to require a received provided to receive a received provided to receive a required provided to receive a required provided and/or or the caused and the received provided and the received provided and the received and the received, but not and any other costs to Meas Measters.

The received and the received and the received and the received and received, but not and any other costs to Meast Measters.

The received and received and received, but not and the received and received, but not and any other costs to Meast Measters.

The received and received and received, but no received and received, but not and any other costs to Meast Measters.

The received and received and received, but no received and received, but not and the proportion of the received and received, but not and the proportion of the received and received, but not and the received and re

				A'	VAILABILITY:		
				(Option is avail			
			Diesel	Diesel Compact		Gas DG	OLYMPIAN
		NOTE:	C9-3516 (24VDC)	D40 - D200 (12VDC)	LC 40-60	DG 50 - 80	Gas 175 - 300 (24VDC)
		NOTE:	(24VDC)	(12VDC)	(12VDC)	(12VDC)	(24VDC)
BEST BATTERY SYSTEM "REDUNDANT" / BATTERIES AND OTHER:							
SENS Best Battery Switch BBS 4800 ( >1000kW)	Installed	\$4,800.00			X	X	
SENS Best Battery Switch BBS 1600 (< 1000kW)  Battery Charger SENS NRG22-10-RC 10A 12/24VDC,120-208-240V	Installed Installed	\$3,400.00 \$975.00			X	X	
Battery Charger SENS NRG22-10-RC 10A 12/24VDC, 120-200-240V  Battery Charger SENS NRG22-20-RCLS 20A 12/24VDC, 120-208-240V	Installed	\$1,304.00			X	Х	
Battery Disconnect Switch	Installed	\$846.00			Х		
Battery "CAT" 115-2422 (12VDC For Compact) includes: cables & rack	Installed	\$400.00					
Battery "CAT" 115-2422 (24VDC, Qty 2) includes: cables & rack	Installed	\$800.00			X	X	
Battery "CAT" 4D 9X-9730 (24VDC, Qty 2) includes: cables & rack	Installed	\$1,200.00			Х	Х	
Note: Congretors normally some with one bettery shares and one bettery							
Note: Generators normally come with one battery charger and one battery.  For a complete system you will need the BBS Switch, (1) additional charger							
and battery(s)							
***							
CONTROL PANEL: GFA, EMER STOP, I/O Module							
Gnd Fault Alarm Relay SE-701 (CAT Part) (CT required / Pickup 1-99%)	Installed	\$1,484.00					
Gnd Fault Alarm Relay PGR4300 (CT not required / Pickup 100A 1200A)	Installed	\$1,543.00		1			
Emergency Stop / External (non-CAT) Emergency Stop / External (CAT)	Installed Installed	\$550.00 \$1.150.00					
I/O Module (includes wire harnesses and other needed for installation)	Installed	\$2,600.00					
ino modulo (modulos vino namiososo and othor nocada ioi modulation)	motanoa	<b>\$2,000.00</b>					
ELECTRONIC: Lights, Load Centers, Transformers							
Interior AC Lights, convenience receptacle & on/off switch (Qty 2)	Installed	\$530.00					
Exterior AC LED Flood Lights, convenience receptacle & on/off switch (Qty 2)	Installed	\$750.00					
Interior DC Lights "Hallogen" CAT (Qty 2) with off/on timer (fused)	Installed Installed	\$530.00					
1300 GFCI Receptacle Nema 3R with Cover (duplex)	Installed	\$950.00 \$350.00					
100A 1P Load Center (N3R 12sp panel with Main)	Installed	\$570.00			Х	Х	
100A 1P CSA Load Center (N3R 12sp panel with Main)	Installed	\$750.00			X	X	
125A 1P Load Center (N3R 24sp panel with Main)	Installed	\$650.00			Х	Х	
125A 1P CSA Load Center (N3R 24sp panel with Main)	Installed	\$950.00			X	Х	
150A 1P Load Center (N3R 24sp panel with Main) 15kVA Transformer (480 Primary to 120/240 Secondary)	Installed	\$750.00			X	X	
7kVA Transformer (480 Primary to 120/240 Secondary)	Installed Installed	\$1,512.00 \$1,100.00			X	X	
7KW Transformer (400 Filmary to 120/240 Octobracily)	motanea	ψ1,100.00			Λ	Λ	
HEATERS: Battery, Enclosure, Lube Oil							
Battery Heater 120V One Battery 12VDC System	Installed	\$665.00	Х				Х
Battery Heaters 120V Two Battery 24VDC System	Installed	\$850.00		Х	X	Х	
Battery Heaters 120V (Two 4D batteries)	Installed	\$1,465.00		X	X	X	.,
Battery Heaters 120V (Four 4D batteries) Enclosure Heater 1-2kW	Installed Installed	\$2,200.00 \$650.00		X	Х	Х	Х
Enclosure Heater "BERKO HUHAA524 3.7-5kW (C9 - C32)	Installed	\$1,300.00		X	X	Х	
Lube Oil Sump Heater Pad small 120V (100-150Watts)	Installed	\$565.00	Х				Х
Lube Oil Sump Heater Pad large 120V (250-400Watts)	Installed	\$765.00		Х	Χ	Х	
FUEL: CCV and Racor Fuel Filters						,,	,,
Crankcase Ventilation Filter (Racor/Parker 4500) (C4.4 - C7.1) Crankcase Ventilation Filter (Racor/Parker 6000) (C9 -C15)	Installed Installed	\$900.00 \$1,200.00				X	X
Crankcase Ventilation Filter (Racor/Parker 6000) (C9 -C15) Crankcase Ventilation Filter (Racor/Parker 8000) (C18)	Installed	\$1,200.00				X	X
Crankcase Ventilation Filter (Racor/Parker (QTY2) 6000) (C27 & C32)	Installed	\$1,400.00				X	x
Crankcase Ventilation Filter (Racor/Parker (QTY2) 8000) (3512 & 3516)	Installed	\$2,400.00				Х	Х
(Note: Not closed loop)							
Page 5 to 1 5 1 to 2 (Water 0 or 50050 40 (2) 1 \ 2000 1	14-11 1	04.000.00	.,			.,	.,
Racor Fuel Filter / Water Sep 500FG-10 (Single) <200kW	Installed	\$1,200.00 \$1,400.00	X			X	X
Racor Fuel Filter / Water Sep 900FH-10 (Single) C9,C15 Racor Fuel Filter / Water Sep 1000FH-10 (Single) C18-C32	Installed Installed	\$1,400.00	Х	<del> </del>	Х	X	X
Racor Fuel Filter / Water Sep RA75/1000FHX-10 (Single) C16-C32	Installed	\$2,800.00		Х	X	X	x
Racor Fuel Filter / Water Sep RA79/1000FHV-10 (Triple)	Installed	\$3,200.00		X	X	X	X
Other:							
Coolant Overflow Container	Installed	\$210.00					
<del> </del>				+			
				1			<u> </u>

BREAKERS -	ABB TMAX 100% Rated		SCHNEIDE	R "Square D" 100% Rated	
ABB TMAX	Material Description	Total Cost	Powerpact H,J,L,P,R Frame	(Data Sheet Tool: Enter the Part # in Google for a spec sheet)  Material Description	Total Cost
T1NQ020TL	20A (22kAIC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36020C	20A (35kAlC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ025TL	25A (22kAlC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36025C	25A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Eugs)	\$550.00
T1NQ030TL	30A (22kAIC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36030C	30A (35kAlC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ040TL	40A (22kAIC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36040C	40A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ050TL	50A (22kAIC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36050C	50A (35kAlC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ060TL	60A (22kAlC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36060C	60A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ080TL	80A (22kAlC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36080C	80A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T1NQ100TL	100A (22kAlC@480 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$500.00	HGL36100C	100A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$550.00
T2SQ100BL (Elect Trip)	100A, 35kAIC, 100% Rated, Electronic LS/I Trip, Lugs	\$650.00	HGL36100CU33X	100A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$800.00
T1 LUGS	(Lugs, AWG 14 -1/0)		H LUGS	(Lugs, AWG14 - 3/0)	
T3NQ125TL	125A, 25kAlC, 100% Rated, Fixed Thermal Mag Trip, Lugs	\$650.00	HGL36125C	125A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$700.00
T3NQ150TL	150A, 25kAlC, 100% Rated, Fixed Thermal Mag Trip, lugs	\$650.00	HGL36150C	150A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$700.00
T3NQ200TL	200A, 25kAlC, 100% Rated, Fixed Thermal Mag Trip, Lugs	\$750.00	JGL36200C	200A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$800.00
T3 LUGS	(Lugs, AWG 14 -1/0 or 4 - 300kcmil)	****	HJ LUGS	(Lugs, AWG14 - 3/0)	2050.00
T4NQ250TL	250A, 25kAlC, 100% Rated, Adjustable Thermal Mag Trip, lugs	\$800.00	JGL36250C	250A (35kAIC@480V, 100% Rated, Fixed Thermal Mag Trip, Lugs)	\$850.00
T4NQ250BL	250A, 25kAIC, 100% Rated, Electronic LS/I Trip, Lugs	\$1,000.00	J LUGS JGL36250CU33X	(Lugs, AWG14 - 3/0)	£4 200 00
T4NQ250CL T4 LUGS	250A, 25kAlC, 100% Rated, Electronic LSI Trip, Lugs (Lugs, AWG 14 -1/0 or 6 - 350kcmil)	\$1,100.00	J LUGS	250A (35kAIC@480V, 100% Rated, LSI Trip Lugs) (Lugs, AWG 3/0 - 350kcmil)	\$1,300.00
T5NQ400BL	400A, 25kAlC, 100% Rated, Electronic LS/I Trip, Lugs	\$1,800.00	LGL36400CU31X	400A (35kAIC@480V, 100% Rated, LI Trip Lugs)	\$1,700.00
T5NQ400BL	400A, 25kAlC, 100% Rated, Electronic LS/I Trip, Eugs	\$2,100.00	LGL36400CU33X	400A (35kAlC@480V, 100% Rated, Li Trip Lugs)	\$1,700.00
T5 LUGS	(Lugs, 250kcmil - 500kcmil, 3/0 - 250kcmil 2, 3/0-500kcmil 2)	<u></u>	L LUGS	(Lugs, AWG 2/0 - 500kcmil 2 )	Ţ.,500.00
T6NQ600BL	600A, 35kAlC, 100% Rated, Electronic LS/I Trip, Lugs	\$2,300.00	PGL36060CU31A	600A (35kAIC@480V, 100% Rated, LI Trip Lugs)	\$2,900.00
T6NQ600CL	600A, 35kAIC, 100% Rated, Electronic LSI Trip, Lugs	\$3,000.00	PGL36060CU33A	600A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$3,200.00
T6NQ800BL	800A, 35kAIC, 100% Rated, Electronic LS/I Trip, Lugs	\$2,900.00	PGL36080CU31A	800A (35kAIC@480V, 100% Rated, LI Trip Lugs)	\$3,600.00
T6NQ800CL	800A, 35kAlC, 100% Rated, Electronic LSI Trip, Lugs	\$3,200.00	PGL36080CU33A	800A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$4,100.00
T6 LUGS	(Lugs, 250kcmil - 500kcmil 2, 2/0 - 400kcmil 3)		P LUGS	(Lugs, AWG 3/0 - 500kcmil 3)	
T7SQ1000BL	1000A, 50kAIC, 100% Rated, Electronic LS/I Trip, Lugs	\$3,400.00	PGL36100CU31A	1000A (35kAIC@480V, 100% Rated, LI Trip Lugs)	\$4,800.00
T7SQ1000CL	1000A, 50kAIC, 100% Rated, Electronic LSI Trip, Lugs	\$3,700.00	PGL36100CU33A	1000A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$5,200.00
T7SQ1200BL	1200A, 50kAIC, 100% Rated, Electronic LS/I Trip, Lugs	\$4,000.00	PGL36120CU31A	1200A (35kAIC@480V, 100% Rated, LI Trip Lugs)	\$5,600.00
7SQ1200CL	1200A, 50kAIC, 100% Rated, Electronic LSI Trip, Lugs	\$4,200.00	PGL36120CU33A	1200A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$5,900.00
T7 LUGS	(Lugs, 4/0 -500kcmil 4)		P LUGS	(Lugs, AWG 3/0 - 500kcmil 4)	
T8VQC3FC00A000XX	1600A 3 POLE BREAKER 100% LSI	\$6,900.00	RGF36160CU63AE1	1600A (35kAIC@480V, 100% Rated, LSI Trip Lugs)	\$7,100.00
T8VQC3FE00A000XX	1600A 3 POLE BREAKER 100% LSIG	\$7,100.00		(Lugs, AWG 3/0 - 500kcmil 4)	
T8 Top/bottom Conn.	(K8TL cable terminals)				
D3NCFBB00A000XX	E2 1600A PR121/P LSI Trip (4) Aux Contacts	\$7,500.00			
E2 Rear Connections	(rear bus connections - for C27, C32, 3500 Series)				
OPTIONS			OPTIONS		
Shunt Trips			Shunt Trips		
KT3S9 (12VDC)	FOR FRAMES T1-T3 (20A-225A)	\$200.00	S29382 (12VDC)	H,J,L FRAME	\$200.00
KT3S8 (24VDC)	FOR FRAMES T1-T3 (20A-225A)	\$200.00	S29390 (24VDC)	H,J,L FRAME	\$200.00
KT5S9 (12VDC)	FOR FRAMES T4-T5-T6 (250A-800A)	\$200.00	S33658 (12VDC)	M,P,R FRAME	\$200.00
KT5S8 (24VDC) KT7XS0 24VDC	FOR FRAMES T4-T5-T6 (250A-800A) FOR FRAMES T7 (1000A-1200A)	\$200.00 \$400.00	S33659 (24VDC)	M,P,R FRAME	\$200.00
Aux Contacts	FOR FHAMES 17 (1000A-1200A)	\$400.00	Aux Contacts		
KT3AS	FOR TATORPEANERS A FORM OF ARA	\$200.00	S29450	1 AUX SWITCH	\$200.00
KT5AS	FOR T1-T3 BREAKERS 1 FORM C + 1BA  FOR T4-T5-T6 BREAKERS 1 FORM C + 1BA 250VAC/VDC	\$200.00	329430	TAOX SWITCH	\$200.00
CT7AS-AU	FOR T7 BREAKERS 1 FORM C + 1BA 24VDC	\$200.00			
Locking Device	TOTTY BILDINGTO TTOTING TIDIZETED	\$200.00	Locking Device		
KT_FLD/KT_KLFS	OPERATOR LOCKING DEVICE - Lock and Key For (T4-T7)	\$250.00	KIRK KEY		\$250.00
LIFE SAFETY	SEPARARTE BOXS DIVIDERS With NEUTRAL	Ψ230.00	LIFE SAFETY	SEPARARTE BOXS , DIVIDERS With NEUTRAL	See Left Side
T1 - T3 (20A - 200A)	BOX (complete with breaker mount, neutral, ground, isolators, wire access)	\$600.00		E DONG, DINDERO MAINEUTINE	
	DIVIDER (for existing box, with all the above items)	\$300.00			
T4-T5 (250A - 400A)	BOX (complete with breaker mount, neutral, ground, isolators, wire access)	\$600.00			
	DIVIDER (for existing box, with all the above items)	\$300.00			
T6 (600A - 800A)	BOX (complete with breaker mount, neutral, ground, isolators, wire access)	\$800.00			
	DIVIDER (for existing box, with all the above items)	\$300.00	5.0A/S33100	CB Micrologic Trip Unit and Top Pin Connector	\$2500.00
Γ7 (1000A - 1200A)	BOX (complete with breaker mount, neutral, ground, isolators, wire access)	\$1,200.00	M2C	CB M2C Module	\$800.00
	DIVIDER (for existing box, with all the above items)	\$600.00	M6C	CB M6C Module	\$1400.00
	VOLTAGE CHANGES: (Diesel, Nat Gas, LP Gas)				
NCLUDES: RE-WIRE, FMC	CP PROGRAMMING, CT'S, NEW RATING PLATE/DECAL				
	S OTHER BREAKER OPTIONS ARE PRICED ABOVE SEPARATELY)				
	ust have CAT / ASC or other data confirming the generator is capable of the voltage of	hange			
10kw - 200kw (all compact)	120/208V to 480/277V	\$800.00			
Okw - 200kw (all compact)	480/277V to 120/208V	\$900.00			
250kw - 600kW	120/208V to 480/277V	\$1,400.00			
	480/277V to 120/208V	\$2,400.00			
250kw - 600kW 750kw - 1000kW	120/208V to 480/277V				
750kw - 1000kW	120/208V to 480/277V 480/277V to 120/208V	\$1,600.00 \$2,600.00			
750kw - 1000kW 750kw - 1000kW (Includes Gas Generators)	120/208V to 480/277V 480/277V to 120/208V				

IF YOU DON'T SEE YOUR ITEM CALL or email TERRY DESPA (*) Kit Available , (**) Available for Lean Design	RD 864-415-8	314 tidespard@	damail.com			
( )						
		ı				
LOUVERS - Motorized Intake - Gravity Discharge	Old/Current	New Design Encl				KIT
Enclosure - "Old/New" (New design C9-C18 - side air ducts inside doors)						
C4.4 40kw - 100kW	\$2,600.00					\$2,200.00
C7.1 125kW - 200kW	\$2800.00	#2 000 00				\$2,400.00
C9 C13	\$3200.00 \$4200.00	\$3,000.00 \$3,800.00				\$2,800.00/\$2400.00 \$3,800.00/\$3400.00
C15- C18	\$4200.00	\$3,800.00				\$3,800.00
C27-C32 C available any model	+	\$5,100.00				
4VDC available on 24VDC Models (C9 - C32)						
lote: A Single Phase 100A Load Center is provided at no cost with AC louvers	only when other A	AC items are ordere	ed: Lights, recepta	icles, heaters, etc.		
*CAM LOCKS - Box or Flush Mount (for any model)	Any Model	(NO NEUTRAL)				Kit
100A (5 camloks)	\$1,200.00					\$1,000.00
32	\$2,400.00					\$1,500.00
200A (15 camloks)  600A (20 camloks)	\$3,600.00 \$4,800.00			 d \$400 00 for each ac	Iditional 5 cam locks)	\$2,000.00 \$3,000.00
nstallation or Kit includes: Flush Mount plate or box - dealer choice, Female C						ψο,σσσ.σσ
**TESTING: Resistive Load bank - Diesel/NatGas/LP	1-2hr (0-100%)	2-4hr (0-100%)	6-8hr (0-100%)	9-12hr (0-100%)		
lokw - 100kW	\$1400.00	\$1600.00	\$2,000.00	\$3,000.00		
25kW - 200kW No Gas Testing above 200kW	\$1500.00	\$1700.00	\$2,100.00	\$3,100.00		
250kW - 450kW	\$1600.00	\$2000.00	\$2,400.00	\$3,500.00		
500kW - 600kW (480V only) 550kW - 1000kW (480V only)	\$1900.00 \$2100.00	\$2200.00 \$2400.00	\$2,800.00 \$3,200.00	\$3,600.00 \$5,400.00		
Load-None Run Test 30min (PDI) Predelivery Inspection	\$600.00	\$600.00	\$3,200.00	\$800.00		
Note: 1. More than 12hours or larger than 1000kW request a quote						
Dealer provides steps or requirements for run time duration		l				
FUEL SPILL PREVENTION/ Extended Vent Pi	ping/ Fuel	Cleaning S	vstems			
FUEL SPILL PREVENTION - Any kW or Model Generator:	J. J. Tuol		C4.4 - C7.1	C9 - C18	C27- C32	KIT 12/24VDC/120V
gallon Fill Spill bucket located inside or outside the enclosure			\$900.00	\$900.00	\$900.00	\$900.00
OPV Valve with Drop Tube Adapter Orop Tube Extension (any tank up to 48" deep)	+		\$1,400.00 \$400.00	\$1,400.00 \$400.00	\$1,400.00 \$400.00	\$1,200.00 \$200.00
Electronic Fuel Overfill Solenoid set @ 95% to operate with Crit High Alarm			\$1,600.00	\$1,600.00	\$1,600.00	\$1,600.00
ocal Annunciator (UL)(N3R) 2 light (with High and Critical High alarms, operal ocal Annunciator (UL)(N3R) 5 light (Crit Low,Low,High,Crit High, leak detect o			\$800.00	\$800.00	\$800.00	\$1,000.00
ocal Annunciator (OL)(NSR) 5 light (Ont Low,Low,High,Ont High, leak detect b. Floats for Annunciator and/or Overfill valve operation (2 or 4 float assembly)	perates solenola	valve ir ordered)	\$1,200.00 \$450.00	\$1,200.00 \$450.00	\$1,200.00 \$450.00	\$1,200.00 \$300.00
(Note: Factory tanks must have (1) spare port for floats. Tanks H14" or less n	nust have (2) spar	re ports)				
EXTENDED VENT PIPING  Extend Normal Vent located outside the Enclosure 12ft above grade			C4.4 - C7.1 \$600.00	<b>C9 - C18</b> \$900.00	C27- C32 \$1,000.00	\$1,000.00
Extend Normal Vent located database the Enclosure 12ft above grade	1		\$1,400.00	\$1,400.00	\$1,400.00	ψ1,000.00
xtend Emergency Vent located outside the Enclosure 12ft above grade			\$1,000.00	\$1,200.00	\$1,600.00	\$1,200.00
Extend Emergency Vent located inside the Enclosure 12ft above grade (Note: Extended vents inside the enclosure may require 45-90deg bends. Op-	tions for pipe rout	ting will be discusse	\$1,600.00 ed with the dealer	\$1,800.00 prior to installation)	\$2,000.00	
FUEL CLEANING SYSTEMS "FM Approved/Listed NFPA 20,25, 110	600gal or less	601-5000gal	5001-15000gal			4
FTI 1.5 (Tanks up to 600gal) FTI 2.8 (Tanks up to 5000gal)	\$7,900.00	\$8,400.00				\$7,900.00 \$8,400.00
FTI 5A (Tanks up to 15000gal)		ψο, του.ου	\$18,500.00			\$18,500.00
SIZING "FTI " is based on Fuel Tank size						
Day Tank Conversions for Base Tanks						
(Any Generator - Skid , Weatherproof or Sound Attenuated)						
Size - kW or Model Generatror:	C4.4 - C7.1	C9	C13 - C18	C27 - C32		Kit
Mounting inside Enclosue (Not available for compact or C13-C18 new design o				\$800.00		
Mounting on Baseframe or Tank PRYCO - Pump and Indication System (pumps sized for generator)	\$800.00 \$3,200.00	\$800.00 \$3,200.00		\$800.00 \$3,200.00		\$600.00 \$3,000.00
Base tank floats - operate pumps, indication at pump controller/EMCP	\$360.00	\$360.00	\$360.00	\$360.00		\$300.00
Hoses, wiring, labor, testing (kit has hoses/fittings only)	\$500.00	\$500.00	\$500.00	\$500.00		\$200.00
Note: Tanks provided by others must have (4) spare 2" NPT fittin	gs) \$4,860.00	\$4,860.00	\$4,860.00	\$5,660.00		\$4,100.00
Note: Check tank needing conversion for spare NPT fitting	φ+,000.00	φ+,000.00	φ4,000.00	φ <del>υ</del> ,000.00		φ4,100.00
**Platforms - Generator Service "OSHA Approved"	11.5 ""	24.6	07.4	00	010.013	207.022
(Packaged to ship loose with Generator on the same truck)	U-Built-it	C4.4	C7.1	C9	C13-C18	C27-C32
BUILD YOUR OWN "MODULAR"						
Ax4 Modular Section with hand rails     Set of Stairs (standard stairs sized for your platform height)	\$1100.00 \$1200.00					
"MADE TO FIT"	ψ1200.00					
		\$2,400.00	\$3,000.00	\$3400.00	\$4200.00	\$5200.00 \$0200.00
		\$4,800.00	\$5,800.00	\$6400.00 \$7400.00	\$7600.00 \$9200.00	\$9200.00 \$10800.00
Dual Side Access		\$6,000.00	\$6,600.00	φ/ <del>4</del> 00.00 1		
Single Side Access Ual Side Access J Shaped Platform		\$6,000.00	\$6,600.00	\$7400.00	Ψ0200.00	<b>,</b>
Dual Side Access  J Shaped Platform  Notes: Assembly required.		\$6,000.00	\$6,600.00	\$7400.00	,	, , , , , , , , , , , , , , , , , , ,
Dual Side Access  J Shaped Platform		\$6,000.00	\$6,600.00	\$7400.00	φ0200.00	
Oual Side Access  J Shaped Platform  Notes: Assembly required.  Prices include Shipping to Newberry to ship with the generator or any location within 500miles of Newberry SC.		\$6,000.00	\$6,600.00	\$7400.00	<b>V</b> 0200100	
Dual Side Access J Shaped Platform  Notes: Assembly required. Prices include Shipping to Newberry to ship with the generator or any location within 500miles of Newberry SC.  PAINT Enclosures (RAL or PPG Colors)						
Dual Side Access  J Shaped Platform  Notes: Assembly required.  Prices include Shipping to Newberry to ship with the generator or any location within 500miles of Newberry SC.  PAINT Enclosures (RAL or PPG Colors)  Size - kW or Model Generatror:	LC "LEAN"	C4.4 - C7.1	Сэ	C13 - C18	C27 - C32	
Dual Side Access J Shaped Platform  Notes: Assembly required. Prices include Shipping to Newberry to ship with the generator or any location within 500miles of Newberry SC.  PAINT Enclosures (RAL or PPG Colors)	LC "LEAN" \$1,200.00 \$150.00			C13 - C18 \$3,000.00		

Paint Fuel Tank (same color as enclosure/ any size up to 96hr)	\$400.00	\$600.00	\$1,200.00	\$1,400.00	\$1,600.00				
(Process - Decals, doors removed, surface is prepped to accept new paint, outside, door jams and other visible areas are painted)									
NOTE: POWERCOAT PAINTING AVAILABLE FOR ANY METAL	ONLY ITEM (	COMPACT SIZE	OR SMALLE	R					

							RA	DIATOR N	OUNTED				ROOF MOUNTED	STAND ALONE	AUTO LOAD LEVELING	DP	F "Diesel Particulate	Filter"
GENERATOR -	- 208 or	480 Or	en WX	SA	OPEN (No Enclosure)			therproof		So.	und Attenuate	ad	( Used for Seismic o	r IBC rated Gensets)		Miratech Passive DPI	F Roof Mount	
OLINE IOUTOR	- 200 01	400, Op	en, na,	JA	Price	Option	Price	Option	Option	Price	Required	Option	Price	Price	Option	WX & SA Enclosures	Price	Option
MODEL	Genset kW	Voltage	Phase	Load Bank Size	Load Bank	Outdoor	Load Bank Outdoor Rated	Sound Attenuating Foam	LOAD BANK TURN DUCT	Load Bank Outdoor Rated	SILENCER Super Critical Roof Mounted (Carbon Steel ) Load Bank displaces Silencer	Extended Enclosure	Load Bank Outdoor Rated	Load Bank Outdoor Rated	UTILIZES THE LOAD BANK AS A SUPPLEMENTAL LOAD FOR MAINTAINING A MINIMUM LOAD ON THE POWER SOURCE	DPF Horizontal Air Flow unless "Extended Enclosure" Option is selected	Black Carbon Steel (Stainless available - request a quote)	Commissioning
VOLTAGE 208					Manufacturers: Avtron, LBD, Simplex		Manufacturers: Avtron, LBD, Simplex		For Vertical Air Flow (Not an Encl Extension)	Horizontal Air Flow Manufacturers: Avtron, LBD	Manufacturers: Maxim, EM	For Vertical Air Flow	Manufacturers: LBD, Avtron	Manufacturers: Avtron	Available on all Sets	Manufacturers: Miratech		MOD SHOP Approved by Miratech
			ted use next		\$ amount between the two clos													
C4.4 (sm) C4.4 (sm)	40	208	3	20	\$5,100.00 \$5,100.00	\$765.00 \$765.00	\$6,500.00 \$6,500.00	\$1,200.00 \$1,200.00	\$800.00	\$7,500.00 \$7,500.00	\$1,500.00 \$1,500.00	\$2,000.00	\$6,800.00	\$7,500.00 \$7.500.00	4	LTR 2	\$7,100.00	\$1,200.00
C4.4 (sm) C4.4 (sm)	50	208	3	40 25	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	\$6,800,00	\$7,500.00	\$1,200.00	LIK Z	\$7,100.00	\$1,200.00 \$1,200.00
C4.4 (sm)	50	208	3	50	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	\$6,800.00	\$7,500.00	\$1,200,00	LTR 2	\$7,100.00	\$1,200.00
C4.4 (sm)	60	208	3	30	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	\$6,800.00	\$7,500.00	¥1,200.00	218.2	\$7,100.00	\$1,200.00
C4.4 (sm)	60	208	3	60	\$5,100,00	\$765.00	\$6,500,00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	**,******	\$7,500.00	\$1,200,00	LTR 2	\$7,100,00	\$1,200,00
C4.4 (lg)	80	208	3	40	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	\$6,800.00	\$7,500.00	1	i		\$1,200.00
C4.4 (lg)	80	208	3	80	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00		\$7,500.00	\$1,200.00	LTR 4	\$12,500.00	\$1,200.00
C4.4 (lg)	100	208	3	50	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00	\$6,800.00	\$7,500.00				\$1,200.00
C4.4 (lg)	100	208	3	100	\$5,100.00	\$765.00	\$6,500.00	\$1,200.00	\$800.00	\$7,500.00	\$1,500.00	\$2,000.00		\$7,500.00	\$1,200.00	LTR 4	\$12,500.00	\$1,200.00
C7.1	125	208	3	65	\$6,000.00	\$825.00	\$7,000.00	\$1,400.00	\$800.00	\$8,000.00	\$1,800.00	\$2,000.00	\$7,300.00	\$8,000.00	\$1,200.00	LTR 4	\$12,500.00	\$1,200.00
C7.1	150 175	208	3	75 90	\$6,100.00 \$6,400.00	\$825.00 \$825.00	\$7,100.00 \$7,400.00	\$1,400.00 \$1,400.00	\$800.00	\$8,100.00 \$8,400.00	\$1,800.00 \$1,800.00	\$2,000.00	\$7,400.00 \$7,700.00	\$8,100.00 \$8,400.00	\$1,200.00 \$1,200.00	LTR 4 LTR 4	\$12,500.00 \$12,500.00	\$1,200.00 \$1,200.00
C7.1	200	208	3	100	\$6,400.00	\$825.00	\$7,400.00	\$1,400.00	\$800.00	\$8,400.00	\$1,800.00	\$2,000.00	\$7,700.00	\$8,400.00	\$1,200.00	LIR 4	\$12,500.00	\$1,200.00
C9.1	250	208	3	125	\$6,800.00	\$825.00	\$7,800.00	\$1,400.00	\$1,200.00	\$8,800.00	\$2,400.00	\$3,000.00	\$8,100.00	\$8,800.00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200.00
co	300	208	3	150	\$7,100.00	\$825.00	\$8,100.00		\$1,200.00	\$9,100.00	\$2,400.00	\$3,000.00	\$8,400.00	\$9,100.00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200.00
C13	350	208	3	175	\$7,400.00	\$825.00	\$8,400.00		\$1,200.00	\$9,400.00	\$2,400.00	\$3,000.00	\$8,700.00	\$9,400.00	\$1,200.00	LTR 12-6	\$21,600.00	\$1,200.00
C13	400	208	3	200	\$7,700.00	\$825.00	\$8,700.00		\$1,200,00	\$9,700.00	\$2,400.00	\$3,000.00	\$9,000.00	\$9,700,00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200,00
C15	450	208	3	225	\$7,800.00	\$825.00	\$8,800.00		\$1,200.00	\$9,800.00	\$2,400.00	\$3,000.00	\$9,100.00	\$9,800.00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200.00
C15	500	208	3	250	\$7,900.00	\$825.00	\$8,900.00		\$1,200.00	\$9,900.00	\$2,400.00	\$3,000.00	\$9,200.00	\$9,900.00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200.00
VOLTAGE 480																		
If the combination y	our looking				\$ amount between the two clos													
C7.1	125 150	480 480	3	65 75	\$5,900.00 \$6,000.00	\$825.00 \$825.00	\$6,900.00 \$7,000.00	\$1,400.00	\$800.00	\$7,900.00 \$8,000.00	\$1,800.00 \$1,800.00	\$2,000.00	\$7,200.00 \$7,300.00	\$7,900.00 \$8.000.00	\$1,200.00 \$1,200.00	LTR 4 LTR 4	\$12,500.00 \$12,500.00	\$1,200.00 \$1,200.00
C7.1	175	480	3	100	\$6,000.00	\$825.00	\$7,000.00	\$1,400.00 \$1,400.00	\$800.00	\$8,000.00	\$1,800.00	\$2,000.00	\$7,300.00	\$8,000.00	\$1,200.00	LIR 4	\$12,500.00	\$1,200.00
07.1	200	480	3	100	\$6,200.00	\$825.00	\$7,000.00	\$1,400.00	\$800.00	\$8,000.00	\$1,800.00	\$2,000.00	\$7,500.00	\$8,200.00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200.00
Co.	225	480	3	125	\$6,600.00	\$825.00	\$7,300.00	\$1,400.00	\$1,200.00	\$8,300.00	\$2,400.00	\$3,000.00	\$7,500.00	\$8,300.00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200.00
C9	250	480	3	125	\$6,600.00	\$825.00	\$7,600.00		\$1,200,00	\$8,600.00	\$2,400.00	\$3,000.00	\$7,900.00	\$8,600,00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200,00
C9	300	480	3	150	\$6,900.00	\$825.00	\$1.00		\$1,200.00	\$8,900.00	\$2,400.00	\$3,000.00	\$8,200.00	\$8,900.00	\$1,200.00	LTR 9-6	\$17,500.00	\$1,200.00
C13	350	480	3	175	\$7,200.00	\$825.00	\$8,200.00		\$1,200.00	\$9,200.00	\$2,400.00	\$3,000.00	\$8,500.00	\$9,200.00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200.00
C13	400	480	3	200	\$7,300.00	\$825.00	\$8,300.00		\$1,200.00	\$9,300.00	\$2,400.00	\$3,000.00	\$8,600.00	\$9,300.00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200.00
C15	450	480	3	225	\$7,500.00	\$825.00	\$8,500.00		\$1,200.00	\$9,500.00	\$2,400.00	\$3,000.00	\$8,800.00	\$9,500.00	\$1,200.00	LTR 15-8	\$25,700.00	\$1,200.00
C15	500 550	480 480	3	250 275	\$7,700.00 \$7,900.00	\$825.00	\$8,700.00		\$1,200.00 \$1,200.00	\$9,700.00 \$9,900.00	\$2,400.00 \$3.200.00	\$3,000.00	\$9,000.00 \$9,200.00	\$9,700.00 \$9,900.00	\$1,200.00 \$1,200.00	LTR 15-8 LTR 15-8	\$25,700.00 \$25,700.00	\$1,200.00 \$1,500.00
C18	600	480	3	300	\$7,900.00	\$950.00	\$8,900.00		\$1,200.00	\$9,900.00	\$3,200.00	\$3,000.00	\$9,200.00	\$9,900.00	\$1,200.00	LIR 15-8 LTR 15-8	\$25,700.00	\$1,500.00
C27	650	480	3	325	\$9,400.00	\$950.00	39,300.00 NA		21,200.00	\$11,400.00	22,200.00	\$5,000.00	\$12,300.00	\$10,300.00	\$1,200.00	LTR 20-10	\$37,000.00	\$1,500.00
C27	700	480	3	350	\$9,500.00	\$950.00	NA NA			\$11,500.00		\$5,000.00	\$12,500.00		\$1,200.00	LTR 20-10	\$37,000.00	\$1,500.00
C27	750	480	3	375	\$9,700.00	\$950.00	NA NA			\$11,700.00		\$5,000.00	\$12,800.00		\$1,200.00	LTR 20-10	\$37,000.00	\$1,500.00
C27	800	480	3	400	\$9,800.00	\$950.00	NA NA			\$11,800.00		\$5,000.00	\$13,000.00		\$1,200.00	LTR 20-10	\$37,000.00	\$1,500.00
C32	1000	480	3	500	\$10,700.00	\$950.00	NA NA			\$12,700.00		\$5,000.00	\$13,500.00		\$1,200.00	LTR 30-12	\$49,000.00	\$1,500.00
IMPORTANT NOTE																		
1. LOAD BANK's I	nclude: Cor Nat.				ircuit and Remote Controller ker tab), Auto Load Leveling an			local or remote	controller)									
2. DPF's and Silen	cers Includ	le: All pipin	g, flanges, ra	ain caps, hardwar	e required for a standard installa		PF's, Silencer's or oth ealers providing a DP							ows, rain cap, nuts/bolts/gaskr	ets)			
3. DBA Level Redu				vel reduction num	thers are based on an overall at				every option has	not been sound test	ed. A graph showin	g the estimated	d reduction is available.					
	WEATHE	ERPROOF :	SETS - Deal	ers can expect ne	ar factory sound attenuated nur	mbers with Sound	Foam and the Turn	Duct.				_						

IMPORTANT LCall for any LC "Lean". Gas., or generator not manufactured at the Newberry CAT Plant

4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (sp) 4 (sp) 1 1	ENCLOSED   Westerpred Good Amended   10V   178 2   150   178 2   150   178 4   178 4   1	Black Steel	\$5 adder \$500.00 \$500.00 \$600.00	Flange size	(3) sets included with order approximately a	tot mot per	we copper priors waters known recognition to the first Plants, pips, carbon to	DON LYNK,	No Largest Excel Materia Service François End Planto, pipe, 204 stabiless												
4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	### Westherprof Found Attenuated  44 KW	DPF Price INCLUDES NESTALATION and all required parts, aboves, nature, piping, etc. 27,100.00 27,100.00 27,100.00	\$103.00 \$103.00	Flange size	(3) sets included with order	and Seed (St. pair	22 Okgaw strong Master, pipe, carbon s	BOT EVEN,	We happen a most Manual a moon Pranque o End Floors, paper, 204 date inses	an and, on											
4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	### Westherprof Found Attenuated  44 KW	DPF Price INCLUDES NESTALATION and all required parts, aboves, nature, piping, etc. 27,100.00 27,100.00 27,100.00	\$103.00 \$103.00	Flange tipe	(3) sets included with order	tot wort and set list (I per	NE DESPRESENTE MERCH MINOR PRINCIPLE One End Plants, pipe, carbon a	more times,	Sel Dispres About Names Linear François I Bird Phonis, pps, 204 stakenes	on the Con											
4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	### Westherprof Found Attenuated  44 KW	DPF Price INCLUDES NESTALATION and all required parts, aboves, nature, piping, etc. 27,100.00 27,100.00 27,100.00	\$103.00 \$103.00	Flange size	(3) sets included with order	and Set (5 per	92 Degree most Kamba Edder François One find Plasts, pipe, carbon s	Deel Control	20 Degree 2 not Assure 1 now François 1 End Floats, pipe, 201 statemen	an and, the											
4 (sm) 4 (sm) 4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	40 LTR2 50 LTR2 40 LTR2 50 LTR2 100 LTR4	INCLUDES INSTALATION and all nequired parts, efficient, raincap, piping, etc. 27,100.000 127,100.000 127,100.000 127,100.000 127,100.000 127,100.000	\$108.00 \$108.00	Flange size	(3) sets included with order	not work and had Sat (\$ per	Par Degree Smort Massics Esson Planger One End Plaste, pipe, carbon o	BOOT EVIDA, Clark I	SO DEGREE SHOP RESTURE SHOW Printings I End Ploats, pipe, 304 stabilies	UST BRIDE, CATE											
4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	50 LTR 2 60 LTR 2 80 LTR 4 100 LTR 4	and all nequired parts, elbows, naincap, piping, elsc. 37, 585-80 37, 585-80 37, 585-80 311, 605-00	\$108.00 \$108.00		included with order	119.20					(attentioned steet)	DOMESTIC OF	ENEW, ENEOUT CHELL GRADE CON (200 stainless steet)	OFFICE STREET,	Prosting , pipe, carbo	on steel	Pleatings, pipe, 204 sta	indess steel	Kan Capy	classic case on	Kan Cap I
4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	50 LTR 2 60 LTR 2 80 LTR 4 100 LTR 4	\$7,100.00 \$7,100.00 \$7,100.00 \$11,600.00	\$108.00 \$108.00		MOTOR	\$19.20															
4 (sm) 4 (sm) 4 (lg) 4 (lg) 1	50 LTR 2 60 LTR 2 80 LTR 4 100 LTR 4	\$7,100.00 \$11,600.00	\$108.00	-	9000000		8LX-06PF2-06PF1-08G-0080-0	\$214.30	ILX 0 8972 0 8971 0 855 0 8073	\$337.80	JC880-0897-1-00000000	113030	JC880-0097-3-00000000	\$733.80	ELX 0892 0898 08500802	\$201.00	ELEGRICOPE GROUND 1	3284.20	NC 6410	\$20.40	RC4863
1 (lg) 1 (lg)	80 LTR 4 100 LTR 4	\$11,600.00				\$19.20	ELX 08FF2 08FF1 0804080 2	3214.30	ELX 0.0972 0.0971 0.0043080-3	\$331.80	JCESS 68FF 1 0000000	\$130.00	JCEE0 0897-3-00000000	\$733.80	ELX 08P2 08P3 080,00803	\$204.60	ELX-08972-0191-0102-010-1	3294.20	NC 6450	\$30.40	RC 0450-3
(kg)	100 LTR 4				BUTCOL	\$18.20	BLX GEPT2 GEPT1 GEOGRAD 2	\$214.30	ILX GRPT GRPT GREENG 1	\$337.80	JC880-00FF-1-00000000	\$130.00	JCESO 0097-3 00000000	\$733.80	ELX 08F2 08FE 08540802	\$204.60	ELX-08972-0898-0808080-1	3284.20	NC 6450	\$20.40	RCGERGS
			\$108.00		MATEGOL	\$16.20	ELX 00P7200P110E53002	\$216.30	ELX 0.092 0.091 0.0520023	\$331.80	JC850-00FF-1-00000000	113030	JC\$10 009-3 0000000	\$733.80	ELX 08972 0891 08040803	\$201.00	ELX-08992-0894-0804030-3	3288.22	NC GESG	\$30.40	RC GESCS
	125 LTR 4	2,000.00	\$10,000		80700	\$19.20	8LX089208910803082	8218.20	112/01/97/01/97/01/2002	\$107.80	2C810 00FF 10000000	113030	2010/09/3000000	\$733.80	11X009700910000000	\$20K NO	11.00992019101020203	1201.22	ML 0810	\$20.00	NC GREE
		\$8,607.00	\$808.00		MATEGOL	\$19.20	ELX 08972 08971 0804080 2	\$214.30	ELX 0.0912 0.0911 0.003000 3	\$331.80	JC810-0071-10000000	1000	JCEE0 0097-3 00000000	\$733.80	ELX 08972 0891 08040803	\$204 NO	ELX-0893-0894-0854080-3	3284.22	AC 6650	\$30.40	RC GUID I
	150 LTR 4	\$8,607.00	\$808.00	4"	INFFGOI	\$19.20	SLX-04PF2-04PF1-080x3080-2	8214.30	ELX 04992 04991 04040000 3	3331.80	JCEED 64PF-1-00000000	\$330.00	JCEE0-0899-3-00000000	\$733.80	ELX-08972-0898-08040080-2	\$204.60	ELX-04PF2-04PS-0304030-3	3298.22	RC-0450	\$20.40	RC 0450 C
	175 LTR 4	\$8,607.00	\$103.00	-	BRFFGGE	\$19.20	BLX GRP2 GRP1 GEGGGG 2	\$216.20	ILX GRPT GRPT GISSING 1	\$337.80	JC810-0497-1-00000000	\$130.00	JCEED SEPT 3 0000000	\$733.90	ELX ORFS OF SIGNOST	\$204.60	ELX SEPT2 SEPT SECURES 1	3281.23	NIC 6450	\$30.40	RC 6880
	200 LTR 6-5	\$8,607.00	\$108.00		MUTCOS	\$27.60	BLX-08P92-08P91-100x2100-2	\$21730	ELX 03F72 03FF1-1352330-3	\$371.40	JC850-097-1-0000000	1431.00	JCE10-009-3-0000000	\$887.00	ELX 0897 0898 10021003	\$201.10	ELX-08912-0891-1004/100-3	\$302.20	NC-6880	\$23.40	RC GSSG S
	250 LTR 9-6	\$13,236.00	\$862.00		MATEGOR	127.60	ELX 08PF2 08PF1 100x2100 2	3247.80	ILX 08F7 08FF1 1352330 3	\$468.40	JCSSD-00PF-1-00000000	\$110.00	JC810-089-3-0000000	\$1,098.00	ELX 0897 0898 100,01003	\$234.00	ELX 08972 0898 1002100 1	3388.40	NC ORES	\$38.80	RCGBSS
	300 LTR 9-6	\$13,236.00	\$902.00		BRFFG OR	\$27.60	ELX GEFT2 GEFT1 10042100 2	\$247.60	ILX 00F12 00F11 1352130 3	3448.43	JC810-00FF-1-0000000	\$410.00	JCEE0 6899 3 60000000	\$1,098.00	ELX 00P2 0P3 10021003	\$254.00	ELX 00PF2 00PS 1002/00 1	\$398.40	NC GERS	\$28.80	RC GRES S
	350 LTR12-0	\$15,385.00	\$1,264.00		MATEGOR	\$30.40	ELX-08992-08991-080-0000-2	\$330.00	ILX 08912 08911 0804000-1	\$160.60	JC310-08FF-1-0000000	\$730.00	JC\$10-089-3-0000000	\$2,379.00	ELX 08972 0891 080400803	\$370.00	ELX GRAS GRAS GRASGED 3	\$801.60	NC GRAS	\$134.00	RC-GBB3-0
	400 LTR 12-8	\$15,585.00	\$1,004.00		1807/0/08	\$30.00	8LX 08972 08971 0804080 2	\$330.00	113/03/97/03/97/03/2007	\$180.80	JC810 0897 1 0000000	\$720.00	2010/09/3/000000	\$2,372.00	ELX 0897 GB/E 08040803	\$370.00	ELEGRATORISTICS (100)	\$501.60	NC CHAS	\$138.00	REGISS
	450 LTR 15-8	\$19,963.00	\$1,214.00		BUFFGGB	\$30.60	ELX OFF 2 SEPT ORGANIS 2	\$330.00	ELCORF2 OFFT CHS 2000 1	\$160.60	JCESS 08FF-1-00000000	\$720.00	JCEED-08PF-3-00000000	\$2,379.00	ELX COPT COPT COLUMN 1	\$370.80	ELX 00PF2 00PE 0102030 3	\$501.60	AC-CERS	\$128.00	RC GRES S
	500 LTR 15-8	\$19,963.00	\$1,04.00		MATEGO	130.40	ELX-08992-08991-080-2000-2	\$330.00	ELX 0.0912 0.0911 0.002000-3	\$183.83	JC310-0891-1-0000000	\$730.00	30210-089-3-0000000	\$2,072.00	ELX 08/12 08/12 080400803	\$370.00	1LX-08992-0894-0802080-1	\$501.60	ACGRES	\$134.00	RC-GBIS-S
	550 LTR 15-10	\$19,963.00	\$1,294.00	10"	INFFO-13	\$91.00	ELX:10PF1-10PF1-100x2100-2	\$409.00	BLX-10PF1-10PF1-130x2100-3	3753.60	JCEED 10PF-1-00000000	\$940.00	JCEEO 10FF-3-00000000	\$3,037.80	ELX-10991-1099-10040100-2	\$380.40	ELX 10PF1 10PS 10040100-3	\$663.32	RC 1075	\$132.00	RC1879-9
- 1	600 LTR 15-10	\$19,962.00	\$1,254.00 \$1,392.00	10"	B0F513	\$9100	ELX-10FF1-10FF1-10Ex2100-0	\$406.00	ELX-10FF1-10FF1-13042130-3	\$793.60	JCEED 1997 1-0000000	\$840.00	JCEED 1997-3-0000000	\$1,317.83	ELX 1091 1092 10021003	1160.60	ELX 1091 1095 1002/00-1	3863.33	HE TOTA	\$132.00	RC-1076-0
	650 LTR 20-10	\$24,605.00	\$1,392.00 \$1,392.00		mo-FG 10	##1.00	ILX-10991-10991-10042100-2	##d8.00	ELX-10991-10991-1004100-3	8140.60	2010/1997/1000000	\$m0.00	2010 199-3 000000	11037.0	ELX 1041 1043 10521052		ELX-1049-1-1049-1-1022-100-1	#m333	WC 1075	*14/00	A. 1016 S
	700 LTR 20-10	25,000	11,000	-		22100	12/10/17/07/17/09	25000	EX-1091 1091 1001 1001	1.000	2000 1077 1000000	11000	2010/07/200000	110770	12/10/77 10/27 10/27	1000	ILCOPT OF THE REAL	AME 2.22	ND 1070	#10000	100000
	750 LTR 20-10	20100100	\$1,392.00	100	8070.0	891.00	BLX-10FT-10FT-1064100-2	1400.00	818-10991-10991-1094130-3	270.00	JC850 10FF 1 0000000	1960	2210107-3000000	1107.0	ELX-1091-1099-10061002	1000	ELETOP110P9100@1001	2003.30	NC 1079	\$132.00	RC 1879-0
	800 LTR 20-10 1000 LTR 30-12	\$34,907.00	81.892.00	115	B97012	354.60	BLN 12FF2 12FF1 120x2120-2	\$834.00	83.5 (2992-12997-12042120-2	11086.60	JC850 12FF 1 0000000	\$1,390,00	2010 1297 3 0000000	\$4,718.40	ELX 10972 1099-10047002	Marie	ELX 10P12 10P9 1004/100 1	3970.20	RD 1279	\$138.00	RC1279-0
	1000 LIK 30-12			_		4						10000		***************************************						+	
E:					-			-		-	-					-			-	-	-
	all piping, flanges, rain o	n cans hardware			-			-		-		_				-		-	-	-	-
aired for installation oval and disposal in	on. Installation of monitor if of existing silencer, sup loose when generator is	toring controls, upports and																			

#### Cat w/ Sound Enclosure Tanks - UL142 or ULC-S601

Don't see the generator model/size your looking for, find the gallons needed and closet dimensions.

Provide the gallons and dimensions needed. We will have a tank made for your job.

Generator	Approx. Run Time	Usable Gallons	Length****	Width*	Height	Stub Up	Approximat e Tank Dry Weight	Tank Price ** *** *** (see"*"beld
C4.4 40-60kW	18	100	119	39	10	16	1170	\$ 5,400
C4.4 40-60kW	24	130	119	39	12	16	1250	\$ 6,080
C4.4 40-60kW	36	195	119	39	18	16	1490	\$ 6,160
C4.4 40-60kW	48	255	119	39	22	16	1670	\$ 6,590
C4.4 40-60kW	72	390	119	39	33	16	2140	\$ 7,050
			143		34			<del> </del>
C4.4 40-60kW	96	515	143	39	34	16	2640	\$ 7,93
C4.4 80-100kW	18	145	140	39	11	20	1420	\$ 6,28
C4.4 80-100kW	24	190	140	39	14	20	1560	\$ 6,38
C4.4 80-100kW	36	285	140	39	21	20	1880	\$ 6,79
C4.4 80-100kW	48	375	140	39	27	20	2160	\$ 7,09
C4.4 80-100kW	72	570	162	39	34	20	2850	\$ 8,13
C4.4 80-100kW	96	760	192	39	39	20	3480	\$ 9,43
C7.1 125-200kW	18	260	168	39	16	24	1950	\$ 6,89
C7.1 125-200kW	24	345	168	39	20	24	2180	\$ 7,29
C7.1 125-200kW	36	560	168	39	32	24	2830	\$ 8,43
C7.1 125-200kW	48	750	192	39	36	24	3490	\$ 9,43
C7.1 125-200kW	72	1115	192	60*	32	24	4500	\$ 10,80
C7.1 125-200kW	96	1480	192	71*	35	24	5710	\$ 11,29
00.050.000144/	40	440	404	74	40	45	2400	<b>*</b> 0.00
C9 250-300kW	18	410	194	71	12	45	3160	\$ 9,00
C9 250-300kW	24	550	194	71	16	45	3480	\$ 9,20
C9 250-300kW	36	820	194	71	24	45	4110	\$ 9,60
C9 250-300kW	48	1090	194	71	32	45	4790	\$ 10,00
C9 250-300kW	72	1640	228	71	36	45	6080	\$ 10,90
C9 250-300kW	96	2180	239	90*	36	45	8200	\$ 12,10
C13 320-400	18	660	210	71	18	45	3940	\$ 9,86
C13 320-400	24	880	210	71	22	45	4370	\$ 10,60
C13 320-400	36	1320	216	71	32	45	5400	\$ 10,80
C13 320-400	48	1760	242	71	36	45	6560	\$ 11,50
C13 320-400	60	2200	265	90*	32	45	9960	\$ 12,60
C13 320-400	72	2640	265	90*	38	45	10850	\$ 13,50
0.10 020 100	. =	20.10		33	33		10000	10,00
C15 350-500	18	660	210	71	18	45	3940	\$ 9,86
C15 350-500	24	880	210	71	22	45	4370	\$ 10,60
C15 350-500	36	1320	216	71	32	45	5400	\$ 10,80
C15 350-500	48	1760	242	71	36	45	6560	\$ 11,50
C15 350-500	60	2200	265	90*	32	45	9960	\$ 12,60
C15 350-500	72	2640	265	90*	38	45	10850	\$ 13,50
040 550 000	40	770	000	7.1	40	4-	4050	0 10.00
C18 550-600	18	770	222	71	18	45	4250	\$ 10,36
C18 550-600	24	1030	228	71	24	45	4890	\$ 10,60
C18 550-600	36	1540	228	71	34	45	5960	\$ 11,10
C18 550-600	48	2050	239	90*	34	45	9400	\$ 12,00
C10 EEO 600	60	2570	265	90*	36	45	10610	\$ 14,30
C18 550-600								
	18	1030	300	82	20	72	7540	\$ 1410
C27 750-800	18	1030	300	82	20	72	7540	
	18 24 36	1030 1380 2060	300 300 300	82 82 82	20 24 36	72 72 72	7540 8280 10380	\$ 14,10 \$ 14,40 \$ 15,10

"Widths over the base skid footprint require 4" rails for mounting (adds 4" to given height). As these are sound attenuated units a sound guard is included in these cases to close off the area between the tank, rails and generator base skid.

<sup>\*\*</sup>Includes the tank, (2) emergency vents, 2" normal vent, 2" lockable fill, Krueger fuel gauge, suction/return fittings, low level & leak detection switches, a 1/2" rupture basin drain plug and 2 extra 2" NPT fittings. Rails also included as noted depending on width. The "Total Price" also includes the Canadian Requirements.

<sup>\*\*\*</sup>Canadian Requirements includes top-mounted leak detection switch, high level switch, vent/fill extensions to minimum 36" above pad as required and secondary normal vent in the outer tank.

<sup>\*\*\*\*</sup>Tank emergency vents, normal vent, fill/spill container and gauge are located outside of the enclosure on the radiator end.

#### **TANK ADDERS:** (Note: prices for options ordered with tanks will be different than the same option added to a factory tank) \*\*\*Tank emergency vents, normal vent, fill/spill and gauge are located outside of the enclosure on the radiator end. For ULC-S601 Add: \$150 Adders: Overspill Prevention valve /w Cap \$625.00 Spill Containment Box \$350.00 2 Light Fuel Alarm \$562.50 Fire Arrestors \$900.00 Seismic Cert/Calcs \$1,800.00 Other Available Items: IBC Cert YES UL2085 YES NY & NJ Fire Code YES

19,000 Gal

Largest Tank Built

Trailers w/ Double Wall Tanks	all Tanks																	
		Generator Size*	r Size*				Trailer	Trailer/Tank Information	nation						Pricing	ا ق		
Generator	Length	Width	Height	Weight	Tank Cap (Gallons)	Tank Weight	Trailer Model	# of Axles	Trailer GVWR	Trailer Weight	Safety	Total Weight	Base**	Hydraulic 2-5/16" Surge Ball Brakes**** Coupler	2-5/16" Ball Coupler	(2) Rear Jacks	(4) Tie Down Rings	Spare Tire
D40/D60 WX and Sound	92	39	62	2880	80	1315		Single	6,600				8	\$ 265.00	\$ 56.00		٩I	\$ 250.00
D40/D60 WX and Sound	92	98	62	2880	130	1700	G7	Tandem	7,500				\$ 7,300.00	\$ 265.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D80/D100 WX and Sound	114	98	73	3430	100	1315	G7	Tandem	7,500				\$ 7,100.00	\$ 445.00   \$ 56.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D80/D100 WX and Sound	114	39	73	3430	200	1700	G10	Tandem	11,000				<b>\$ 9,100.00 \$</b> 445.00 <b>\$</b> 56.00 <b>\$</b> 260.00	\$ 445.00	\$ 56.00		\$ 75.00	\$ 250.00
D125/D200WX and Sound	143	39	73	4600	175	3250	G10	Tandem	11,000				<b>\$ 8,800.00</b>   \$ 505.00   \$ 56.00	\$ 505.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
D125/D200WX and Sound	143	39	73	4600	300	3680	GW12	Tandem	13,200				\$ 9,700.00	\$ 505.00	\$ 56.00	\$ 260.00	\$ 75.00	\$ 250.00
Options:																		
JOB BOX (tongue mounted)													\$ 600.00					
*Generator sizes based on available Cat spec sheets.	ilable Cat spec she	ets.																
**Base trailer price includes 3" Lunette Eye, tongue jack, electric brakes, a smooth steel deck and the listed tank capacity. Options listed are in addition to the base price.	Lunette Eye, tongu	e jack, electric bra	ces, a smooth stee	deck and the lis	ted tank capacity	. Options list	ted are in ac	dition to the	base price.									
***Hydraulic surge brakes would be in place of the electric brakes.	ld be in place of the	electric brakes.																



# **Metal Masters, INC.**

Newberry, South Carolina Main 803-276-6403 Cell 864-415-8314 tldespard@gmail.com Effective 10/1/16

## GENERATOR HANDLING AND STORAGE RATES

## **INDOOR STORAGE\***

## OPEN-BASE FRAME MOUNTED (NO ENCLOSURE OR FUEL TANK)

Description	$\mathbf{kW}$	Warehouse Handling**	Monthly Storage
Small	<100	\$50	\$50
Medium	125-200	\$75	\$75
Large	250-600	\$100	\$100
X Large	650-1000	\$150	\$150
XX Large	1200-2000	\$200	\$115050

### OPEN WITH FUEL TANK BASE (NO ENCLOSURE)

Description	$\mathbf{kW}$	Warehouse Handling**	Monthly Storage
Small	<100	\$50	\$50
Medium	125-200	\$75	\$100
Large	250-600	\$100	\$125
X Large	650-1000	\$150	\$175

#### ENCLOSED (NO FUEL TANK)

Description	$\mathbf{kW}$	Warehouse Handling**	Monthly Storage
Small	<100	\$50	\$50
Medium	125-200	\$75	\$100
Large	250-600	\$100	\$125
X Large	650-1000	\$150	\$175 (Storage - Open with Roof)

#### ENCLOSED WITH FUEL TANK BASE

Description	kW	Warehouse Handling**	Monthly Storage
Small	<100	\$50	\$50
Medium	125-200	\$75	\$100
Large	250-600	\$100	\$150
X Large	650-1000	\$150	\$175 (Storage - Open with Roof)

## **SHRINK WRAP - for Open Sets and Other Indoor Stored Items**

Small	\$100.00
Medium	\$150.00
Large	\$200.00
X-Large	\$250.00

#### NON ENGINE ITEMS

Weight	Warehouse Handling**	Monthly Storage
1-2,000#	\$50	\$50.00
2,001-4,000#	\$50	\$75.00
4,001-8,000#	\$100	\$100.00
8,001-12,000#	\$100	\$150.00
12,001-20,000#	\$150	\$175.00

### SHRINK WRAP - Same as above

## **OUTDOOR STORAGE\***

#### ENCLOSED (NO FUEL TANK)

Description	$\mathbf{k}\mathbf{W}$	Warehouse Handling**	<b>Monthly Storage</b>
Small	<100	\$50	\$30
Medium	125-200	\$50	\$50
Large	250-600	\$100	\$75
X Large	650-1000	\$150	\$100
XX Large	1200-2000	\$200	\$100

#### ENCLOSED WITH FUEL TANK BASE

Description	$\mathbf{k}\mathbf{W}$	Warehouse Handling**	Monthly Storage
Small	<100	\$50	\$30
Medium	125-200	\$75	\$50
Large	250-600	\$100	\$100
X Large	650-1000	\$150	\$125
XX Large	1200-2000	\$200	\$125

<sup>\*</sup>NO CHARGE FOR LOOSE SHIP ITEMS (BOXES) LESS THAN 1000LBS. INSIDE STORAGE AVAILABLE FOR ALL LOOSE SHIP ITEMS.

## **Other Items:**

- 1. **Generators on Trailers -** same rate as above.
- 2. 20ft & 40ft Generators in Containers. Same rate as above. >2000kW request a quote.
- 3. **EXPORT SERVICES**: Available. Request a Quote
- 4. LONG TERM STORAGE Required to Maintain Warranty. Request a quote.

<sup>\*\*</sup>HANDLING INCLUDES BOTH IN AND OUT CHARGES, INVOICED WHEN RECEIVED

I	(Price \$300.00, no cost if with	load bank testing)				
Date:				ESO#:		
Dealer:				CAT ERTS:		
PO #:				WO#:		
<del>'0#.</del>			J	<u>vvO#.</u>		
F-01	UDMENT TYPE.		0	4		
EQU	JIPMENT TYPE:		Gen	erator		
0		1 0		1 0		
Genset MFG: Engine MFG:	-	Genset Model #: Engine Model #:		Genset Serial #: Engine Serial #:		
Radiator MFG:		Radiator Location:		Radiator Group #:		
Control Panel MFG:		Control Panel Model #:		Control Panel Serial #:		
Arrangement #:		Service Meter units		Fuel Type:		
Rated Kilowatts:		Rated kV Amps:		Rated Phase:		
Emission Tier:		Rated Power Factor:		Rated Volts AC:		
		_				
QPS TEAM	Name:	Office Phone #:	Cellphone #:	Fax #:	Email:	
Mod Program Manager						
Lead Technician:						
Test Technician:						
			•	•		
				•		
Start Date:		Completed Date:		Ship Date:		
ESO #:		DBS Work Order #:		No. of Packages:		
				•		
Inspected By:						
Tech Name:				1		
Initial each item, comment as n	accessary.					
limitar cach hem, comment as h	icocooury.					
	Lubrication:					
	Check all connections					
	Check oil level					
	Check protection switch					
	Fuel:					
	eck all connections (leaks, etc.)					
Check	k throttle and governor linkages					
	Air:					
Cho	Check air filter pipework ck vent piping and connections					
	ck air flap and solenoid (if fitted)					
Chec	Water:					
	Check and adjust fan belts					
Check anti-fr	reeze concentration & pH level					
	fans and pumps (if applicable)					
	ator core and tanks (leaks, etc.)					
	Check protection switch					
	DC:					
	eck and adjust alternator belts					
	patter(s) (top-up as necessary)					
Check	condition of lugs and terminals					
	AC:					
	Visually inspect windings					
l	Check power connections					
	circuit breaker and connections					
Check contacto	or panel connections and lamps	((f. f))(1)				
	Heater: Check hose connections	(if fitted)				
	Check nose connections  Check operation					
	Off Load Test:					
	Oil Pressure		PSI	Water Temperature	F	
				·		
	Battery Charging Volts		VDC	AC Voltage	VAC	
O	Frequency		Hz	Engine Speed	RPM	
Other: Silencer:						
Check system for fumes						
Comments						

This Program for all NA Dealers is now available with Metal Masters - Mod Shop "Terry Despard"

#### **Modifications to Newberry Product**

(this is the same program, process and good pricing you had with Blanchard Power Systems)

Attention: EPNA Dealer Sales Managers EPNA Retail Sales Representatives EPNA Retail Regional Managers

#### **Ladies and Gentlemen:**

Electric Power North America (EPNA) is pleased to announce that Dealers now have the ability to reconfigure or modify Newberry product through the Mod Shop. Attached is a list of flat rates for common modifications, as well as a quote sheet for requesting service. Most modifications can be accommodated at the Schilli distribution center in Newberry SC minimizing additional shipping costs. For modifications not listed on the flat rate sheet, please contact Terry Despard for a quote.

Through this program, EPNA Dealers can receive a timely and cost-effective means of modifying Newberry product to meet customer requirements, resulting in improved product availability, greater competitiveness, and increased usage of ZSTOCK.

For more information regarding this new program, please contact Terry Despard, Metal Masters Mod Shop, 864-415-8314, tldespard@gmail.com or your EPNA Retail Sales Representative.

Sincerely, Terry Despard Sales Engineer Metal Masters - Mod Shop